

38004

7412

ANALYTICAL RESULTS REPORT OF AIR SAMPLING AT RICHARDSON FLAT PARK CITY, UTAH

TDD R8-8608-05
EPA ID: UTD980952840

EPA PROJECT OFFICER: PAULA SCHMITTDIEL

E&E PROJECT OFFICER: HENRY SCHMELZER

REVIEWED BY: KARL FORD

SUBMITTED TO: LES SPRENGER, FIT-RPO

DAVE SCHALLER, SITE EVALUATION CHIEF

DATE SUBMITTED: SEPTEMBER 19, 1986

DATE RESUBMITTED: AUGUST 24, 1987

86



TABLE OF CONTENTS

																					PA	
LIST	OF TABLES	AND FI	GURES	•	• •	•	• •	٠	•	•	• •	•	•	•	•	•	• •	•	•	•	. i	
I.	INTRODUC	TION .		•		•		•		•		•	•	•	•	• •	•	•		•	. 1	
II.	SITE DES	CRIPTIO	N	•		•		•	•	•		•	٠	•	•			•	•	•	•	
III.	SITE HIS	TORY .				•		•	•	•		•	•		•		•	•	•	•	•	
IV.	METEOROL	OLOGY.	• • •	•				•		•		•	•		• •		•	•	•	•	•	
V.	METHODOL	OGY		•		•		•	•	• .		•	•	•	• •		•	•	•	•	•	
VI.	QUALITY .	ASSURAN	CE	•		•		•		• •		•		•		•		•	•	•	•	
VII.	ANALYTIC	AL RESU	LTS .	•		•		•	•	• •		•	•	•		•	•		•	•	•	
VIII.	DISCUSSI	ON		•		•		•	•	• •		•	•	•		•	•		•	•	•	
IX.	CONCLUSIO	ONS AND	RECOM	1EN]	DAT:	ION	s.	•	•			•	•	•		•	•	•	•	•	•	
					A	PPE	ENDI	CE	S													
APPEN	IDIX I	FIGURE	5																			
APPEN	IDIX II	RAW RES	SULTS	ANI	D Q	A R	EPO	RT														
APPEN	DIX III	CALIBRA	ATION	DA'	ГА																	
APPEN	PPENDIX IV UPDATED SITE INVESTIGATION FORMS																					

Ref. 2

LIST OF TABLES

TABLE 1	FILTER CONCENTRATIONS							
TABLE 2	FLOW CALCULATIONS							
TABLE 3	AIRBORNE CONCENTRATIONS							
TABLE 4	COMPARISONS OF UPGRADIENT VS DOWNGRADIENT AND THREE SAMPLE LOCATIONS TO REMOTE BACKGROUND							
TABLE 5	SOIL RESULTS							
TABLE 6	SAMPLING START AND STOP TIMES							

LIST OF FIGURES

FIGURE 1	AREA MAP OF PARK CITY	
FIGURE 2	AIR SAMPLE LOCATION	
FIGURE 3	SOIL SAMPLE LOCATIONS	
FIGURE 4	WIND ROSE DAY 1	
FIGURE 5	WIND ROSE DAY 2	
FIGURE 6	WIND ROSE DAY 3	
FIGURE 7	WIND ROSE DAY 4	
FIGURE 8	WIND ROSE DAY 5	
FIGURE 9	WIND SPEED DAY 1	
FIGURE 10	WIND SPEED DAY 2	
FIGURE 11	WIND SPEED DAY 3	Ę
FIGURE 12	WIND SPEED DAY 4	
FIGURE 13	WIND SPEED DAY 5	

THET

ANALYTICAL RESULTS REPORT FOR RICHARDSON FLAT TAILINGS PARK CITY, UTAH TDD #R8-8608-05

I. INTRODUCTION

This report was prepared to satisfy the requirements of Technical Directive Document (TDD) R8-8608-05 issued to Ecology and Environment's Field Investigation Team (E&E FIT) by Region VIII Environmental Protection Agency (EPA). This report addresses the analytical results for the air sampling activities conducted at the Richardson Flat Tailings site in Park City, Utah. FIT members conducting the air sampling during July 7-14, 1986 were Henry Schmelzer and Dave Franzen. Sampling procedures used in this investigation conform to the Region VIII FIT SOP for Hi-Vol Air Sampling at Hazardous Waste Site; the Quality Assurance Handbook for Air Pollution Measurement Systems, Volume II - Ambient Air Specific Methods; EPA-600/4-77-027A, May, 1977, U.S. EPA, Research Triangle Park, N.C.; and 40 CFR Part 58, July, 1983.

The overall scope of the project involved the set up and operation of a total of five high volume (hi-vol) air samplers at four sampling locations over a five day period. A total of twenty-nine samples were collected including four duplicates and five blanks. Site access was set up by Sue Kennedy of Ecology and Environment, and Kelsey Land and Matt Cohn of Region VIII EPA.

The objectives of this investigation were to determine if the migration of heavy metal contaminated suspended particulate matter exists and to further substantiate and complete the HRS air route score. This score was previously based on photo-documentation of wind blown tailings material.

Ky ?

II. SITE DESCRIPTION

Richardson Flat Tailings is located in Summit County, Utah approximately 3.5 miles northeast of Park City. The tailings cover approximately 160 acres in the NW 1/4, Section 1 and NE 1/4 of Section 2, Township 2 South, Range 4 East (Figure 1). Highway 40 runs east and north of the area, and a Union Pacific Railroad track bisects the southern portion of the tailings. Silver Creek is located approximately 500 feet from the northwestern most extension of the tailings. An intermittent stream (water diversion ditch) forms the southeastern border of the tailings. An ephemeral pond overlies the northwestern portion of the tailings, and is contained by a dam at the northwestern end.

III. SITE HISTORY

The mill tailings at Richardson Flat came from the Keetley Ontario Mine and other metal mines currently owned by United Park City Mines (UPCM). The most recent use of the area for tailings disposal was during the period of time from 1975 to 1981. During this time, UPCM had all its mining properties leased to either Park City Ventures or Noranda Mining, Inc. who constructed and operated milling facilities on UPCM property.

It is estimated that at least seven million tons of tailings were deposited on Richardson Flat. While there is no current dumping of tailings on site, Mr. Ray Wortley is leasing the land the tailings are on from UPCM and using the tailings material for sewer line and road base backfill.

The site is not secured in any way from public access. An unpaved county road along the southern boundary of the tailings is unrestricted. Cattle and sheep are grazed in the area, and cattle have been observed walking across the tailings.

Rey. 7

On June 20, 1985, clouds of fugitive dust moving offsite as a result of strong winds from the west-northwest were photographed by the original EPA-FIT team doing the site investigation. Results of analyses of surface tailings samples showed concentrations as high as 3,600 ppm arsenic, 80 ppm cadmium, 8,530 ppm lead, and 6,360 ppm zinc. Mean soil concentrations for those metals in the western U.S. respectively are 5.5 ppm, 0.2 ppm, 17 ppm, and 55 ppm (Shacklette, 1984).

IV. METEOROLOGY

The Richardson Flat tailings lie in a small flat topographic basin of approximately 800 acres. The configuration of the basin was expected to have a pronounced effect on local air flow. The basin is situated at 6600 feet elevation and is surrounded by ridges of the Wasatch Mountains that range from 6700 feet to 7600 feet. Silver Creek enters the basin from the west-southwest then angles to the north. Daytime up valley air flows were anticipated to originate from the west northwest. This was found to be the case.

The data presented in the following section was acquired from The Climatic Atlas of the United States, U.S. Department of Commerce, Environmental Sciences Services Administration, Environmental Data Service, June 1968. The climate of the Park City area is characterized by moderate fluctuations in temperature and precipitation throughout the year. Mean monthly temperatures range from 10 degrees Fahrenheit (°F) in December, January, and February to 80°F in June, July and August. During the month of July the average temperature is approximately 60°F. Precipitation for the Park City area varies from a mean monthly amount of 1.00 inches in July to 2.22 inches in December. Prevailing wind direction at Park City is typically from a southeasterly direction throughout the year. Relative humidity for the Park City area varies from 40 percent in August to 80 percent in December and February. The average relative humidity in July is 50 percent. Barometric pressure ranges from 1022 millibars (30.18 inches of mercury) in December and January to approximately 1010 millibars (29.83 inches of mercury) in June.

Hy 2

V. METHODOLOGY

All air sampling stations under this TDD were set up to sample in the breathing zone and were located in accordance with the Region VIII FIT SOP for Hi-Vol Sampling at Hazardous Waste Sites. The meteorologic station was set up next to sample locations AM-O3 and AM-O4. The wind vane was calibrated to magnetic north.

Air temperature, barometric pressure and relative humidity were also measured. This information was used to correct all flows and air concentrations to standard temperature and pressure conditions (STP).

The samplers were calibrated using a General Metal Works GMW-35 top loading orifice calibrator using an 8" x 10" cellulose filter in place. All samplers were set to run for 12 hours at approximately 40 cubic feet per minute. No calibration curve was available at the time the samplers were set up to initially calibrate them. It was decided to not attempt to change the flow rates since they had been set to 40 cfm at the last sampling site. When the sampling at Richardson Flat was completed, a calibration curve for the calibrator used was prepared at EPA-ESD in Denver and the actual flow rates of the samplers were calculated. See Appendix III.

All samplers were equipped with elapsed timers to record the total sample time. Each hi-vol also was equipped with a flow recorder which measured the flow throughout the sampling period. Any fluctuations in flow during the sample period would be noted on the recorder disk. It also served as a check on the elapsed timer.

Surficial soil samples from five locations were also taken. There was some concern that lead emissions from gasoline powered vehicles would cause interference in the air samples from the traffic along U.S. 40 and the county road. Samples were collected at two feet, ten feet and fifty feet from the edge of the asphalt roadway to see if deposition of lead from these vehicles would cause any interference or affect the results.



VI. QUALITY ASSURANCE

The air samples were analyzed for arsenic, cadmium, lead and zinc only. Soil samples were analyzed for Task 1 and 2 metals. The inorganic analytical data were examined thoroughly for compliance with contract laboratory program quality assurance criteria. The data were found to be of good quality. In the air samples, spike recoveries for cadmium and zinc were 65% and 60% respectively and actual values in the tables may be higher than presented. The analytical results for lead in soils were also of good quality. Duplicates showed good agreement. A blank was submitted for each sampling day. The quality assurance reports and raw data are shown in Appendix II.

VII. ANALYTICAL RESULTS

The results of the inorganic analyses are noted in Table 1. Sample locations are noted in Figure 2.

Formulas used for determining the airborne concentrations are presented along with an explanation of terms with Table 2. Table 2 shows the calculations used to determine the total volume of air sampled corrected to standard conditions by each sampler on each sampling day. This information was used to create Table 3 which contains the average concentration per cubic meter for each of the four elements of concern. When combined with the wind speed and direction information from Figures 4-13, offsite migration of the contaminants can be determined. Table 4 shows the field increases for each days samples comparing upwind and downwind concentrations and downwind versus the remote background. Table 5 shows the Task 1 and 2 metal concentration in soils by the two major roadways by the site.

Ry 2

VIII. DISCUSSION

DAY 1

The sampling period began at 1745 hours on July 8, 1986 with the start up of the hi-vol sampler at location AM-O1. The last hi-vol sampler shut off at approximately 0700 hours on the morning of July 9th. The wind rose for this period is shown in Figure 4. The predominant wind flow for this period is from the SE at 61% of the sample period. The SSE direction also accounted for 18% of the wind during this time period. Wind speed and direction at the start of the sample period at 1800 hours were 5-10 mph from the SSE. At 2000 the winds increased slightly to around 10 mph and from the SE. At 2100 the wind speed increased to 15-20 mph from the SE. Winds again increased to over 20 mph with several gusts over 40 mph at 0030. Winds dropped back to 10-20 mph at 0130 and continued until 0500 when winds died to near calm, continuing that way until the end of the sample period at 0700.

Based on sampler locations during this time period, sampler AM-02 would be upwind and samplers AM-03 and AM-04 would be downwind. Sampler AM-05 was located fairly close to these last two locations and can serve as a secondary downwind sample location on this day. Results from Table 4 show a 102 fold increase in lead an 83 fold increase in cadmium, a 49 fold increase in arsenic, and a 40 fold increase in zinc, when comparing upwind versus downwind concentrations.

When sample location AM-O2 is compared to AM-O5, the results from Table 4 show a 59 fold increase in lead, a 50 fold increase in zinc, a 25 fold increase in arsenic and a 14 fold increase in cadmium.

DAY 2

Sampling began at 1100 on July 9th and ended at 0300 on July 10th. The wind rose for this sample period is shown in Figure 5. The

Rd.

predominant winds are from the WNW and NW with 25% and 18% of the wind respectively from those vectors. The sample period started with light and variable winds from 0-10 mph. At 1430, the wind increased to 10-20 mph and stabilized from the WNW. At 1800 hours the wind dropped back to 5-10 mph and at 2000 the wind went calm and continued that way until the sample period ended.

Based on the wind rose, the upwind sample location would be AM-04 and the downwind location would be AM-02. Comparing upwind versus downwind sample locations reveals an 11 fold increase in lead, a 5 fold increase in zinc, and 7 fold increase in arsenic.

DAY 3

The sample period began at 1100 hours on July 10th and continued until 2300 hours. Figure 6 shows the wind rose for the site for this period of time. The predominant wind direction is WNW with 69% of the wind for this time period from that direction. Based on the wind rose and sampler locations, the upwind sampler would be AM-04 and the downwind location would be AM-02.

The wind at the start of the sampling period was from the NNW at 5-10 mph. At 1045, the wind picked up to 10-20 mph from the WNW and continued so until 1800 hours when the wind slowed to 5-10 and then went calm at 2000 hours.

Results from Table 4 show a 9 fold increase in lead, a three fold increase in zinc, a ten fold increase in arsenic and a two fold increase in cadmium when comparing upgradient versus downgradient.

DAY 4

Sampling was initiated at 1000 hours and continued until 2300 hours. Figure 7 shows the wind rose for this sampling period. The predominant wind direction is WNW with 55% of the sampling time followed by NW with 10%. Based on this information, the upgradient sample location is AM-04 and the downgradient is AM-02.

Fred. 2

The sample period began with the wind blowing from the east at 5-10 mph. At 1100 hours, the wind became light at less than 5 mph and variable but at 1130 hours it stabilized with the wind coming from the WNW at 5-10 mph. The wind speed picked up to 10-20 mph at 1230 hours. It continued at this speed and direction through 1930 hours and also had a period of gusts to 30 mph around 1400 hours. The wind died off to 5-10 mph at 1930 hours and remained calm after 2000 hours.

Results from Table 4 show an increase in contaminant concentration of two fold for lead, three fold for zinc, seven fold for arsenic and 1.1 fold for cadmium for this sample period. Sampler AM-02 was the last sampler started so consequently when the winds went calm and remained that way for the last $3\ 1/2 - 4$ hours of the sampling period there would be less particulate material becoming airborne to be collected by the sampler.

DAY 5

The sample period for the 5th day started at 1000 hours and stopped at 2400 hours. Figure 8 shows the wind rose for this sample period. The predominant wind direction was NW with 25% of the sample time but 18% of the time the wind was from the SE, the completely opposite direction. No reliable upgradient or downgradient sample locations can be derived from the information so the three sample locations next to the tailing were compared to the remote background at AM-01.

The wind was 0-5 mph and variable at the start of the sample period at 1000 hours. It increased to 5-10 at 1300 hours and was predominantly from the SE but shifted to the NW at 1400 hours. This remained the predominant wind direction until 1930 when the wind died and went calm until the end of the sample period.

In comparison to the remote background location at AM-01, the sampler at AM-02 shows a six-fold increase in lead, a two-fold increase in zinc and a 1.8 fold increase in arsenic. When comparing



AM-01 to AM-04 there is a 3.5 fold increase in lead, 1.3 fold increase in zinc, and a 1.5 fold increase in arsenic at sample location AM-04. Comparing AM-05 to AM-01 there is a 2.4 fold increase in lead, a 1.5 fold increase in zinc, a 1.2 fold increase in arsenic and a 1.25 fold increase in cadmium at sample location AM-05.

Five soil samples were also taken on this day. The results are shown in Table 5. Of principle concern was the potential for interference with lead from vehicle emissions along U.S. 40 and the county road. Deposition of lead from vehicle emissions is most pronounced within the first 15 meters of the roadway. (40 CFR, Part 58, Appendix E, 7.3 and Daines, 1970). The samples taken 2 feet off of the asphalt edge of the roadway on U.S. 40 and the county road show lead at 477 and 418 mg/kg concentrations respectively. At 10 feet from U.S. 40 the concentration is 13 mg/kg which is within the range of the average lead in soil concentration for the Western U.S. of 9-31 mg/kg (Shacklette, 1984).

The air sampling location nearest to either U.S. 40 of the county road is over 200 yards. The concentration of lead in the tailings is 8530 mg/kg and the samplers were placed next to the tailings. Hence, based on the soil sampling and the air station placement, lead from vehicle emissions is not likely to be a major contributing factor to lead deposition in the air samples.

Soil sample SO-05 was intended to be a background sample for the soils. It was taken outside of the major airshed for the area in Park City, unfortunately by the Prospector Hotel. The sample contained 3479 mg/kg of lead and through an oversight, was collected from the Silver Creek Tailings proposed NPL site. Hence, sample SO-05 is not a background sample.

~



IX. CONCLUSIONS AND RECOMMENDATIONS

Table 4 compares the airborne metal concentrations of downgradient versus upgradient sample locations by sample day. Lead released from daily downgradient sample location ranged from 2.28 to 102.35 times the upgradient sample location. Zinc ranged from 2.43 to 49.58. Arsenic ranged from 7.33 to 48.84. Cadmium ranged from 1.0 to 82.5. When compared to the remote background, the increases are even higher: 261.56 for lead and 91.67 for cadmium.

Strong winds observed on the evening of July 7 prompted a night-time sample run. Winds during this sampling period were the strongest observed during the field activities and lasted throughout the sampling period. This may account for the largest release occurring on the first sampling day.

Based upon the information presented in this analytical results report, it can be concluded that Richardson Flat Tailing site is the source of a release of hazargous substances to the air. Onsite soil concentrations of arsenic, cadmium, lead and zinc documented in previous reports are yielding substantial concentrations of suspended particulates containing these elements. These contaminated particulates are migrating into the air at downwind sample locations on a daily basis when compared to the upwind sample location. The same is true when comparing the downwind samples to those taken at the same times from the remote background location. Based on this information, it is recommended that the Hazard Ranking System documentation package be updated and supplied with the current information.

Ξ



TABLE 1
RICHARDSON FLATS
ARSENIC, CADMIUM, LEAD AND ZINC CONCENTRATIONS IN
TOTAL ug/filter BY SAMPLE DAY

DAY 1	AM-06	AM-01	AM-04	AM-03 BLANK	AM-02	AM-O5A INITIAL LOCATION	AM-05B STATION MOVED
Arsenic Cadmium Lead Zinc		1.0u .5ur 3.4 17j	54 4.8r 959 672j	1.0u .5ur .5u .4uj	1.0u .5u 8.3 15j	17 5.2r 348 527j	
DAY 2	BLANK		**************************************	·		·····	
Arsenic Cadmium Lead Zinc	1.0u .5ur .5u .4uj	1.0u .5ur 8.90 21j	1.5 .5ur 30 39j	1.4 .5ur 26 34j	6.8 .5ur 147 88j	1.0u .5ur 14 17j	
DAY 3	BLANK				· · · · · · · · · · · · · · · · · · ·		
Arsenic Cadmium Lead Zinc	1.0u .5ur .5u .4uj	1.0u .5ur 12 23j	1.5 .5ur 36 43j	1.0u .5ur 25 28j	13 .8r 264 169j	1.4 .5ur 30 55j	
DAY 4	BLANK						
Arsenic Cadmium Lead Zinc	1.0u .5ur .5u .4uj	1.0u .5ur 29 43j	1.0u .5ur 64 35j	1.2 .5ur 40 36j	6.6 .5ur 131 98j	 	1.1 .5ur 35 43j
DAY 5	BLANK						
Arsenic Cadmium Lead Zinc	1.0u .5ur .5u .4uj	1.0u .5ur 8.0 22j	1.5 .5ur 27 27 ₂ j	1.0u .5ur 30 23j	1.8 .5ur 48 51j		1.0u .5ur 16 27j

u Element is undetected. Detection limit given.

j Matrix spike recovery was 65% for cadmium. Actual value may be higher. Duplicat relative percent of differences were out of CLP criteria for zinc.

r Matrix spike recovery for zinc was 60%. Values given are estimates.

Bef 2

EXPLANATION OF TABLE 2

FORMULAS:

Qstd = QR x
$$\underline{Pa in Hg \times 25.4}$$
 x $\underline{298K}$ (Tstd)
CFM CFM TaK $760mm(Pstd)$ of Hg

Vol. = tmin x Qstd /35.32 std
$$m^3$$
 CFM

QRI CFM = Initial flow rate in cubic feet per minute.

QRF CFM = Final flow rate in cubic feet per minute.

QR CFM = Average flow rate in cubic feet per minute.

Ti F = Initial temperature in degrees Fahrenheit.

If F = Final temperature in degrees Fahrenheit.

Ta K = Average temperature converted to degrees Kelvin.

Pa in. Hg = average barometric pressure in inches of mercury.

Qstd CFM = Flow rate in cubic feet per minute at standard temperature and pressure.

t min = Total time in minutes that sampler ran.

Vol. std m^3 = Total volume of air sampled in cubic meters at standard temperature and pressure.

£



TABLE 2. CALCULATIONS OF STANDARD FLOW RATES

DAY 1	STATION NUMBER	LOCATION	FILTER #	QR CFM	TAK	PA INCHES	QSTD CFM	T MIN	STD M ³
	AM-01 AM-02 AM-03 AM-04 AM-05	BACKGROUND SE BLANK DAM NW	AM-01-1 AM-02-1 AM-03-1 AM-04-1 AM-05-1	43 41 0.0 42 41	290 287 288 289	23.25 23.25 23.25 23.25	34.33 33.08 33.77 32.85	552 549 609 391	536.60 514.25 582.34 363.72
DAY 2									
	AM-01 AM-02 AM-03 AM-04 AM-05 AM-06	BACKGROUND SE DUPLICATE DAM NW BLANK	AM-01-2 AM-02-2 AM-03-2 AM-04-2 AM-05-2 AM-06-2	40.5 39 39.5 42.5 41 0.0	289 288 290 290 288	23.25 23.25 23.25 23.25 23.25	32.45 31.36 31.54 33.94 32.96	704 696 590 610 699	646.89 617.99 526.93 586.17 652.48
DAY 3				, -				····- <u>·</u> ·	
	AM-01 AM-02 AM-03 AM-04 AM-05 AM-06	BACKGROUND SE DUPLICATE DAM NW BLANK	AM-01-3 AM-02-3 AM-03-3 AM-04-3 AM-05-3 AM-06-3	42.5 42 39.5 43 40.5 0.0	291 290 290 290 290 290	23.35 23.35 23.35 23.35 23.35	33.96 33.68 31.68 34.48 32.48	650 589 678 674 658	625.13 561.73 608.12 658.10 605.13
DAY 4									
	AM-01 AM-02 AM-03 AM-04 AM-05 AM-06	BACKGROUND SE DUPLICATE DAM W BLANK	AM-01-4 AM-02-4 AM-03-4 AM-04-4 AM-05-4 AM-06-4	45.5 40 40 42 37.5 0.0	293 293 293 293 292 	23.35 23.35 23.35 23.35 23.35	36.11 31.75 31.75 33.34 29.87	726 624 665 661 630	742.41 560.97 597.83 623.95 532.79
DAY 5									
	AM-01 AM-02 AM-03 AM-04 AM-05 AM-06	BACKGROUND SE DUPLICATE DAM W BLANK	AM-01-5 AM-02-5 AM-03-5 AM-04-5 AM-05-5 AM-06-5	40.5 41 38 42.5 39 0.0	293 296 296 296 292	23.40 23.40 23.40 23.40 23.40	32.21 32.28 29.92 33.46 31.13	688 658 642 642 586	627.58 601.47 543.90 608.31 516.50

=



TABLE 3
AVERAGE AIRBORNE CONCENTRATIONS OF ARSENIC, CADMIUM, LEAD AND ZINC PER DAY IN ug/m³

DAY 1	BACKGROUND AM-01	DAM AM-04	DUPLICATE AM-03	SE AM-02	NW AM-05A	W AM-05B
Arsenic Cadmium Lead Zinc	.0019 u .0009 ur .0063 .0317 j	.0928 .0825 r 1.6478 1.1546 j	 	.0019 u .0010 u .0161 .0292 j	.0467 .0143 r .9560 1.4478 j	
DAY 2			F.			·····
Arsenic Cadmium Lead Zinc	.0015 u .0007 ur .0138 .0325 j	.0026 .0009 ur .0512 .0666 j	.0027 .0009 ur .0493 .0645 j	.0110 .0008 ur .2379 .1424 j	.0015 .0008 ur .0214 .0260 j	
DAY 3						
Arsenic Cadmium Lead Zinc	.0016 u .0008 ur .0192 .0368 j	.0023 .0008 ur .0547 .0653 j	.0016 u .0008 ur .0411 .0461 j	.0231 .0014 r .4698 .3007 j	.0023 .0008 ur .0496 .0909 j	
DAY 4						
Arsenic Cadmium Lead Zinc	.0013 u .0007 ur .0391 .0580 j	.0016 u .0008 ur .1026 .0561 j	.0020 .0008ur .0669 .0602j	.0118 .0009 ur .2335 .1747 j		.0021 .0009 u .0657 .0807 j
DAY 5						
Arsenic Cadmium Lead Zinc	.0016u .0008ur .0127 .0350j	.0025 .0008ur .0444 .0444j	.0018u .0009ur .0551 .0423j	.0029 .0008ur .0799 .0849j	 	.0019 u .0010 u .0309 .0522 j

⁻⁻ Sample not run.

u Element is undetected.

j Matrix spike recovery was 65% for cadmium. Actual value may be higher. Duplicate relative percent of differences were out of CLP criteria for zinc.

r Matrix spike recovery for zinc was 60%. Values given are estimates.

B42

TABLE 4. COMPARISON OF DOWNGRADIENT VS. UPGRADIENT AND BACKGROUND AIRBORNE METALS CONCENTRATION BY SAMPLE DAY IN ug/m^3

	PREVAILING	REMOTE	UPGRADIENT	PRIMARY DNGRADIENT	SECONDARY DNGRADIENT		TAMINANT INCI IMES UPGRADI	
DAY	WIND	BCKGRD	LOCATION	LOCATION	LOCATION	PRIMARY	SECONDARY	BACKGROUND
1	SE	AM-01 AS.0019 CD.0009 PB.0063 ZN.0317	AM-02 .0019 .0010 .0161 .0292	AM-04 .0928 .0825 1.6478 1.1546	AM-05A .0467 .0143 .9560 1.4478	48.84 82.50 102.35 39.54	24.58 14.30 59.38 49.58	48.84 91.67 261.56 36.42
2	WNW	AM-01 AS.0015 CD.0007 PB.0138 ZN.0325	AM-05A .0015 .0008 .0214 .0260	AM-02 .0110 .0008 .2379 .1424	==	7.33 1.0 11.12 5.48		7.33 1.14 17.24 4.38
3	WNW	AM-01 AS.0016 CD.0008 PB.0192 ZN.0368	AM-05A .0023 .0008 .0496 .0909	AM-02 .0231 .0014 .4698 .3007		10.04 1.75 9.47 3.31	 	14.44 1.75 24.47 8.17
4	WNW	AM-01 AS.0013 CD.0007 PB.0391 ZN.0580	AM-04 .0016 .0008 .1026 .0561	AM-02 .0118 .0009 .2335 .1747	 	7.38 1.125 2.28 3.11	 	9.08 1.29 5.97 3.01
5	NONE	AM-01 AS.0016 CD.0008 PB.0127 ZN.0350	AM=02 .0029 .0008 .0799 .0849	AM-04 .0025 .0008 .0444 .0444	AM-058 .0019 .0010 .0309 .0522	AM-02 1.81 1.0 6.29 2.43	AM-04 1.56 1.0 3.49 1.27	AM-05 1.19 1.25 2.43 1.49

⁻⁻ No secondary downgradient



TABLE 5 SOIL CONCENTRATION OF TASK 1 AND 2 METALS IN RICHARDSON FLAT AREA

	CNTY RD 2' SO-01	CNTY RD 10' SO-02	US40 2' SO-03	US40 50' S0-04	HOTEL SO-05	WESTERN U.S. AVERAGE
Aluminum Antimony	3790* 18e	11900* 70e	11300* 89e	10500* 40e	13200* 104e	58000 .47
Arsenic	87	7.7	7.5	2.1u	188	5.5
Barium	95	200	144	66 8	225	580
Beryllium	.4ue	5.2e	43e	1.4e	1.0e	.68
Cadmium	3.9*	12*	12*	4.5*	38*	.35
Calcium	46900*	14300*	12900*	6350*	14900*	
Chromium	17*	443*	743*	4.3*	21*	41
Cobalt	[2.9]e	14e	159e	11e	21e	7.1
Copper	21	44	100	15	222	21
Iron	10600	94200	10300	33900	46100	21000
Lead	477*	133*	418*	13*	3479*	17
Magnesium	14200*	55800*	36700*	3560*	5550*	
Manganese	284	8320	15400	112	1730	380
Mercury	1.0*	0.5*	0.2*	0.5*	3.9*	.05
Nickel	12	44	52 50053a	21	34	15
Potassium	[436]e	1480e	[965]e	1160e	1960e	
Selenium	1.0u	1.0u	1.0u	1.0u	6.9	.23
Silver	2.0u	2.0u	2.0u	2.1u	18	.5
Sodium	[336]	5620	5130	[976]	1320 13	.2
Thallium	2.4	2.0u	2.0u	2.1u		70
Vanadium Zinc	11e 440*	561e 331*	1390e 8 4 *	81e 96*	12e 4630*	55

Spike recovery beyond the ± 25% control limit.

Duplicate results exceeded the relative percent difference limit of ±35%. Consider an estimate.

e An interference may be present for these elements.
[] Results is below CLP contract detection limit but above the detection limit for t instrument.

Ary 2

TABLE 6: AIR SAMPLING DATA

LOCATION	DATE	START TIME	STOP TIME	COMMENTS
AM-01	7/8/86	1745	0257	
AM-02	7/8/86	2125	0634	
AM-03	7/8/86	2012	300 .	Blow down; sample not used
AM-04	7/8/86	1929	0538	
AM-05	7/8/86	2032	0303	
AM-01	7/9/86	1125	2309	
AM-02	7/9/86	1410	0146	
AM-03	7/9/86	1333	2323	
AM-04	7/9/86	1315	2325	
AM-05	7/9/86	1504	0243	
AM-01	7/10/86	1005	2055	Sheep grazing in area of sampler
AM-02	7/10/86	1230	2219	2 amp 1 ci
AM-03	7/10/86	1110	2228	
AM-04	7/10/86	1110	2224	
AM-05	7/10/86	1158	2257	
AM-01	7/11/86	1030	2236	
AM-02	7/11/86	1244	2308	
AM-03	7/11/86	1123	2228	
AM-04	7/11/86	1128	2229	,
AM-05	7/11/86	1214	2244	Sampler moved 300 yards to
				south.
AM-01	7/12/86	1025	2153	
AM-02	7/12/86	1218	2316	
AM-03	7/12/86	1129	2211	
AM-04	7/12/86	1129	2211	
AM-05	7/12/86	1154	2140	

~

Ref 2

REFERENCES


- Bryan, R.J., R.J. Gordon, and H. Menck. Comparison of High Volume Air Filter Samples at Varying Distances from Los Angeles Freeway. University of Southern California, School of Medicine, Los Angeles, CA. Presented at 66th Annual Meeting of Air Pollution Control Association. Chicago, IL. June 24-28, 1973. APCA 73-158.)
- Daines, R.H., H. Moto, and D.M. Chilko. Atmospheric Lead: Its Relationship to Traffic Volume and Proximity to Highways. Environ. Sci. and Technol., 4:318, 1970.
- Johnson, E.E., et al. Epidemiologic Study of the Effects of Automobile Traffic on Blood Lead Levels, Southwest Research Institute, Houston, TX. Prepared for U.S. Environmental Protection Agency, Research Triangle Park, NC. EPA-600/1-78-055, August 1978.


 Air Quality Criteria for Lead. Office of Research and Development, U.S. Environmental Protection Agency, Washington, D.C. EPA-600/8-77-017. December 1977.
- Lyman, D.R. The Atmospheric Diffusion of Carbon Monoxide and Lead from an Expressway. Ph.D. Dissertation, University of Cincinnati, Cincinnati, OH. 1972.
- Shacklette, H.T., and Boerngen, J.G.; 1984: Element Concentrations in Soils and other Surficial Materials of the Conterminous United States. U.S. Geol. Surv. Professional Paper 1270. 105pp.


Bej 2

APPENDIX I FIGURES


۲,







Pri 2



9.6 % CALM

FELD INVESTIGATIONS OF UNCONTROLLED HAZARDOUS WASTE SITES
TABLE REPORT TO THE B.P.A.

****** Richardson Flats Wind Rose in % of Sample Time for DAY 1 1800 - 0700 Hours


July 8-9,1986

T.B.9 R8-8605-12

ecology and environment, inc.

FIG.4

Rol 2



37.5 % Calm

FELD INVESTIGATIONS OF UNCONTROLLED HAZARDOUS WASTE SITES
TASE REPORT TO THE E.P.A.

TITLE: Richardson Fiats Wind Rose in % of Sample Time for DAY 2 1100 -0300 Hours

July 9-10,1986


T.a. R8-8605-12

ecology and environment, inc. BERYER, EGLORAGO

FIG.5

\$00 _____ \$000 \$ ____ \$000 ___

RAT



17.3 % CALM

FELD INVESTIGATIONS OF UNCONTROLLED HAZARDOUS WASTE SITES
TASK REPORT TO THE E.P.A.

July 10,1986


7.9.9 R8-8605-12

ecology and environment, inc.

FIG.6

. ____

12



21.1 % CALM

FELD INVESTIGATIONS OF UNCONTROLLED HAZARDOUS WASTE SITES
TABLE REPORT TO THE E.P.A.


July 11,1986

1.9.9 R8-8605-12

ecology and emironment, inc.
BENYER, COLORADO

FIG.7

177.2



21.4 % CALM


FELD INVESTIGATIONS OF UNCONTROLLED HAZARDOUS WASTE SITES
TABLE REPORT TO THE E.P.A.

Richardson Flats Wind Rose in % of Sample Time for DAY 5 1000-2400 Hours July 12, 1986


T.B.9 R8-8605-12

ecology and environment, inc.
BERVER, COLORADO

FIG.8



Herso MIMI SEEED IN MEH



(X)

RICHARDSHI FLATS WIND SPEED DAY 3







FIG.11 WIND SPEED IN MPH





RETA




% OF SAMPLE PERIOD










the.



Big 2

$\begin{tabular}{ll} APPENDIX & II \\ \\ RAW & RESULTS & AND & QA & REPORT \\ \end{tabular}$

Ref. 2

REGION VIII SUMMARY OF DATA QUALITY ASSURANCE REVIEW

Case No. SAS 2356H Project No.
Site Richardson Flats
Contractor Laboratory Hittman Ebaseo Hasae.
Data Reviewer <u>CRoberts</u> Date of Review <u>9/3/86</u>
Sample Matrix Celluluse Filters
Sample No. See Laboratory Cours Sheet.
() Data are acceptable for use
() Data are acceptable for use with qualification noted above
(Data are preliminary - pending action or verification
() Data are unacceptable
Action required by DPO?
No Yes / Following items require action <u>Detection limits</u>
requested by region were not met by the laboratory. I al should resulmit furnace results with RSD values.
Action required by Project Officer (PO)?
No / Yes

Ry. 2

Pollowing are our findings:

Cellulose in felters were submitted for manysis of
usenie sadmum lead and yone. I his was a SAS
regrest.
The gains recovery for carmium was 65%, The
radmin result, therefore, have been slagged with
an "R". The york Hoberatory Control Songle recovery
west was only 60%. The zine results may be
luned low and have been played as estimated (T).
- Two opports of the contract were not policiled by
the laboratory. Detection limits of 1 mg/2 were
specific by the SAS contract. However, the actual instrument
detection limets for As. Cd. Phand In where from
3.8-4.8 ug/c. also, the RSO results for duplicate
furance injections were not reported. The duplicate
results appear to agree well, however.

Rya

FORM A

Inorganic Data Completeness Checklist

_/	Inorganic analysis data sheets
	Initial calibration and calibration verification results
<u>/</u>	Continuing calibration verification
	Instrument Detection limits
<u>/</u>	Duplicate results
_/	Spike results
	ICP interference check sample
	Blank results
NR	Serial Dilution Results
	Raw data for calibration standards
	Raw data for blanks
	Raw data for samples
<u>/</u>	Raw data for duplicates
	Raw data for spikes
	Raw data for furnace AA
<u>nr</u>	Percent solids calculation - soils only
	Traffic Reports

Agg

FORM B

Initial calibration data were reviewed. Initial calibration data were
included in the package and met all contract requirements.
YESNO
Comments:
Continuing calibration data were reviewed and these data met all contract
requirements.
YESNO
Comments:
A blank was run with every twenty samples or less per case.
YESNO
Comments:
tue prep blanko were prepared
How many elements were detected above the required detection limit?/
lead at 7 Mg/L
suace or Tourge
How many elements were detected at greater than one half the amount
detected in any sample?
Comments:

Ry 3

FORM C

The interference c	eck sample was run twice per eight hour shift. No	
massive interferen		
YES_	NO	
Comments:		
All matrix spike re	quirements were met.	
YES	NO	
Comments:	an form were deposent to read and not unite as spiked, all recoveries were within 65-10 are flagged due to a 65% spike recovery.	aled
Constino mad	iked il resources were within 65-10	10%
a clion filte w	to sporter, so the second.	
Colmium results	are played dul to a 63% of	
A duplicate sample	was run with every twenty or fewer samples of a	
	one per case, whichever is more frequent.	
YES V	NO	
	···	
	ŕ	
The RPD's were tab	lated.	
YES	NO	
Comments:		
	~	
All increases date	tion limits mat the contract wassinger	
	tion limits met the contract requirements.	
YES	NO	
Comments:	1.0 1 ugl detection limits for	
SHS vyust spen	efice 1 ug/ detection limits for	
The pour cemons	, ive not were the	

By 2

FORM D

All Laboratory Control Samples	met specified contract limits.
YES	110
Comments: Zine 60% Recovery - LCS performed as require	zine results estimatech
Serial Dilution requirements w	ere met.
Not Reguired	NO
The Furnace Atomic Absorption	Analysis Scheme was followed correctly.
YES RSO results are not reported fone good aquement. M.	NO
All holding times were met.	
YESComments:	NO

Ref. 7

U.S. EPA Contract Laboratory Program Sample Management Office P.O. Box 818 - Alexandria, VA 22313 703/557-2490 PTS: 8-557-2490

less than 0.995

Date 8-14-86

COVER PAGE A INORGANIC ANALYSES DATA PACKAGE

Sample Numbers PA No. Leb ID No. PA No. Leb ID No.	Lab Name	BITTHAN EBASCO ASSOCIATES INC.	Case No. SAS	356H
EPA No. AM-01-1 AM-01-3 AM-02-1 AM-02-3 AM-04-1 AM-03-3 AM-04-3 AM-03-3 AM-03-2 AM-03-2 AM-03-4 AM-03-4 AM-03-4 AM-03-4 AM-03-4 AM-03-4 AM-03-4 AM-03-4 AM-04-4 Comments: Zorne as EpA number Zornes analyzed by TCP Region 8 and states are selection limit, report the value in brackets (i.e., [10]). Indicate the analytical method used with P (for ICP/Plame A) or P (for furnace). Indicates a cleant was analyzed for but not detected. Report with the detection limit value (e.g., 100). Indicates a value estimated or not reported due to the presence of interference. Explanatory note included on cover page. Indicates a value determined by Method of Standard Addition. Indicates apile sample recovery is not withis control limits. Indicates apile sample recovery is not withis control limits. Indicates apile sample recovery is not withis control limits. Indicates apile sample recovery is not withis control limits. Indicates apile samples to not withis control limits. Indicates apile sample recovery is not withis control limits. Indicates apile sample recovery is not withis control limits.	SON No.	7/84	Q.C. Report Bo.	53
AM-01-1 AM-02-1 AM-02-1 AM-03-3 AM-04-1 AM-03-3 AM-05-1 AM-05-3 AM-02-2 AM-02-2 AM-02-2 AM-03-2 AM-03-4 AM-03-4 AM-03-4 AM-03-4 AM-05-3 AM-04-4 Comments:		Sample	Munbers	
AM-02-1 AM-04-1 AM-05-1 AM-05-1 AM-05-3 AM-02-2 AM-02-2 AM-02-2 AM-02-2 AM-03-2 AM-03-4 AM-03-4 AM-05-3 AM-04-4 AM-05-4 AM-03-4 AM-04-4 AM-03-4 AM-03-4 AM-03-4 AM-03-4 AM-03-4 AM-03-4 AM-03-6 AM-03-6 AM-03-6 AM-03-6 AM-04-1 AM-03-6 AM-03-7 AM-03-7 AM-04-1 AM-03-8 AM-03-9 AM-03-8 AM-03-9 AM-			EPA No.	Lab ID No.
AM-04-1 AM-05-1 AM-05-2 AM-02-2 AM-03-2 AM-03-2 AM-03-4 AM-03-4 AM-03-4 AM-03-4 AM-05-3 AM-04-2 AM-05-3 AM-04-2 AM-03-4 AM-03-4 AM-04-4 Comments: Zn una analyzed by ICP Region 8 and Sud Sud approxal this method almost 8-13-86, If yes, corrections applied before X or after generation of raw data detection limit but less than the contract required detection limit, report the value in brackets (i.e., [10]). Indicate the analytical method used with P (for ICP/Plane AA) or P (for furnace). - Indicates element was analyzed for but not detected. Report with the detection limit value (e.g., 100). - Indicates a value estimated or not reported due to the presence of interfarence. Explanatory note included on cover page. - Indicates value determined by Nethod of Standard Addition. - Indicates spike sample recovery is not within control limits. - Indicates duplicate analysis is not within control limits. - Indicates duplicate analysis is not within control limits.				#
AM-05-1 AM-01-2 AM-02-2 AM-03-2 AM-03-4 AM-03-4 AM-05-3 AM-03-4 AM-05-3 AM-04-2 AM-05-3 AM-03-4 AM-05-3 AM-04-4 AM-05-3 AM-04-4 AM-05-3 AM-04-4 AM-05-3 AM-04-4 AM-05-3 AM-04-4 AM-03-4 AM-04-4 AM-03-4 AM-03-4 AM-04-4 AM-03-4 AM-03-4 AM-03-4 AM-04-4 AM-03-4 AM-03-4 AM-03-4 AM-04-4 AM-03-4 AM-03-4 AM-03-4 AM-04-4 AM-03-4 AM-03-4 AM-03-4 AM-03-4 AM-03-4 AM-03-4 AM-04-4 AM-03-4 AM-04-4 AM-				
AM-01-2 AM-02-3 AM-03-2 AM-03-4 AM-03-4 AM-03-4 AM-04-4 Comments: A-Same as EpA number En ums amalyzed by ICP Region 8 and SMO approval this method change 8-13-86. If yes, corrections applied before X or after generation of raw data detection limit but less than the contract required detection limit, report the value in brackets (i.e., [10]). Indicate the analytical method used with P (for ICP/Plame AA) or P (for furnace). - Indicates element was analyted for but not detected. Report with the detection limit value (e.g., 100). - Indicates a value estimated or not reported due to the presence of interference. Explanatory note included on cover page. - Indicates value determined by Nathod of Standard Addition. - Indicates apike sample recovery is not within control limits. - Indicates duplicate analysis is not within control limits. - Indicates duplicate analysis is not within control limits. - Indicates duplicate analysis is not within control limits.		مواليات استنارات أسيسينيات	• •	
AM-03-2 AM-03-4 AM-03-4 AM-03-4 AM-04-2 AM-04-4 AM-03-4 AM-03-4 AM-04-4 AM-03-4 AM-04-4 AM-03-4 AM-04-4 AM-03-4 AM-04-4 AM-03-4 AM-04-4 AM-03-4 AM-04-4 AM-04-4 AM-04-4 AM-04-4 AM-03-4 AM-04-4 AM-				
AM-03-2 AM-03-4 AM-03-4 AM-04-2 AM-04-4 AM-03-4 AM-03-4 AM-03-4 AM-03-4 AM-03-4 AM-04-4 AM-04-4 AM-04-4 AM-03-4 AM-03-4 AM-03-4 AM-03-4 AM-03-4 AM-03-4 AM-04-4 AM-03-4 AM-			·	
AM-04-2 AM-05-2 AM-04-4 AM-	AM-02	-2	AM-01-4	
AM-05-2 Zn uns analyzed by ICP Region 8 and Sum applied Yes & Bo Comments:	AM-03	-2	•	
Zn uns analyzed by ICP Region 8 and SWO approved this method change 8-13-86. Cornels: Z- uns analyzed by ICP Region 8 and Swo approved this method change 8-13-86. Cornels: Z- or after generation of raw data controls: Z- not required by contract at this time control in the first of the first controls: Z- not required by contract at this time control required detection limit, report the value in brackets (i.e., [10]). Indicate the analytical method used with P (for ICP/Plane AA) or P (for furnace). - Indicates element was analyzed for but not detected. Report with the detection limit value (e.g., 100). - Indicates a value estimated or not reported due to the presence of interference. Explanatory note included on cover page. - Indicates spike sample recovery is not withis control limits. - Indicates adupticate analysis is not withis control limits.	4M-04	-2	AM-03-4	
Zn una analyzed by ICP Region 8 and SMO approved this method change 8-13-86. CP Interelement and background corrections applied? Tes Bo If yes, corrections applied before or after generation of raw data controls: R - not required by contract at this time form I: alue - If the result is a value greater than or equal to the instrument detection limit but less than the contract required detection limit, report the value in brackets (i.e., [10]). Indicate the enalytical method used with P (for ICP/Plame AA) or P (for furnace). - Indicates element was analyzed for but not detected. Report with the detection limit value (e.g., 100). - Indicates a value estimated or not reported due to the presence of interference. Explanatory note included on cover page. - Indicates value determined by Method of Standard Addition. - Indicates spike sample recovery is not within control limits. - Indicates duplicate analysis is not within control limits.	AM-05-	<u>-2</u>	AM-04-4	
Zn una analyzed by ICP Region 8 and SMO approved this method change 8-13-86. CP Interelement and background corrections applied? Tes Bo If yes, corrections applied before or after generation of raw data controls: R - not required by contract at this time form I: alue - If the result is a value greater than or equal to the instrument detection limit but less than the contract required detection limit, report the value in brackets (i.e., [10]). Indicate the enalytical method used with P (for ICP/Plame AA) or P (for furnace). - Indicates element was analyzed for but not detected. Report with the detection limit value (e.g., 100). - Indicates a value estimated or not reported due to the presence of interference. Explanatory note included on cover page. - Indicates value determined by Method of Standard Addition. - Indicates spike sample recovery is not within control limits. - Indicates duplicate analysis is not within control limits.	Cormentes	At some as ED	1 rumber	
SMO approved this method change 8-13-86. If yes, corrections applied before or after generation of raw data controls: If be required by contract at this time form I: alue - If the result is a value greater than or equal to the instrument detection limit but less than the contract required detection limit, report the value in brackets (i.e., [10]). Indicate the analytical method used with P (for ICP/Plame AA) or P (for furnace). - Indicates element was analyted for but not detected. Report with the detection limit value (e.g., 10U). - Indicates a value estimated or not reported due to the presence of interference. Explanatory note included on cover page. - Indicates value determined by Nethod of Standard Addition. - Indicates spite sample recovery is not within control limits. - Indicates duplicate analysis is not within control limits.				100 8 040
CP Interelement and background corrections applied? Tes Bo If yes, corrections applied before or after generation of raw data controles: R - not required by contract at this time form I: alua - If the result is a value greater than or equal to the instrument detection limit but less than the contract required detection limit, report the value in brackets (i.e., [10]). Indicate the analytical method used with P (for ICP/Plame AA) or P (for furnace). - Indicates element was analyzed for but not detected. Report with the detection limit value (e.g., 100). - Indicates a value estimated or not reported due to the presence of interference. Explanatory note included on cover page. - Indicates value determined by Method of Standard Addition. - Indicates spike sample recovery is not within control limits. - Indicates duplicate analysis is not within control limits.	2 V		· · · · · · · · · · · · · · · · · · ·	
Tootnotes: The pot required by contract at this time Form I: The result is a value greater than or equal to the instrument detection limit but less than the contract required detection limit, report the value in brackets (i.e., [10]). Indicate the analytical method used with P (for ICP/Plame AA) or P (for furnace). Indicates element was analyzed for but not detected. Report with the detection limit value (e.g., 100). Indicates a value estimated or not reported due to the presence of interference. Explanatory note included on cover page. Indicates value determined by Method of Standard Addition. Indicates spike sample recovery is not within control limits. Indicates duplicate analysis is not within control limits.		ac opposite this me	THE THIRD S	15 001
Tootnotes: The pot required by contract at this time Form I: The result is a value greater than or equal to the instrument detection limit but less than the contract required detection limit, report the value in brackets (i.e., [10]). Indicate the analytical method used with P (for ICP/Plame AA) or P (for furnace). Indicates element was analyzed for but not detected. Report with the detection limit value (e.g., 100). Indicates a value estimated or not reported due to the presence of interference. Explanatory note included on cover page. Indicates value determined by Method of Standard Addition. Indicates spike sample recovery is not within control limits. Indicates duplicate analysis is not within control limits.	•			
Tootnotes: The pot required by contract at this time Form I: The result is a value greater than or equal to the instrument detection limit but less than the contract required detection limit, report the value in brackets (i.e., [10]). Indicate the analytical method used with P (for ICP/Plame AA) or P (for furnace). Indicates element was analyzed for but not detected. Report with the detection limit value (e.g., 100). Indicates a value estimated or not reported due to the presence of interference. Explanatory note included on cover page. Indicates value determined by Method of Standard Addition. Indicates spike sample recovery is not within control limits. Indicates duplicate analysis is not within control limits.				
Tootnotes: The pot required by contract at this time Form I: The result is a value greater than or equal to the instrument detection limit but less than the contract required detection limit, report the value in brackets (i.e., [10]). Indicate the analytical method used with P (for ICP/Plame AA) or P (for furnace). Indicates element was analyzed for but not detected. Report with the detection limit value (e.g., 100). Indicates a value estimated or not reported due to the presence of interference. Explanatory note included on cover page. Indicates value determined by Method of Standard Addition. Indicates spike sample recovery is not within control limits. Indicates duplicate analysis is not within control limits.	CP Inter	lenent and background correction	ns applied? Yes X No.	
Dotnotes: If - not required by contract at this time Form I: Salue - If the result is a value greater than or equal to the instrument detection limit but less than the contract required detection limit, report the value in brackets (i.e., [10]). Indicate the analytical method used with P (for ICP/Flame AA) or P (for furnace). - Indicates element was analyzed for but not detected. Report with the detection limit value (e.g., 100). - Indicates a value estimated or not reported due to the presence of interference. Explanatory note included on cover page. - Indicates value determined by Method of Standard Addition. - Indicates spike sample recovery is not within control limits. - Indicates duplicate analysis is not within control limits.				
R - not required by contract at this time orm I: alua - If the result is a value greater than or equal to the instrument detection limit but less than the contract required detection limit, report the value in brackets (i.e., [10]). Indicate the analytical method used with P (for ICP/Flame AA) or P (for furnace). - Indicates element was analyzed for but not detected. Report with the detection limit value (e.g., 100). - Indicates a value estimated or not reported due to the presence of interference. Explanatory note included on cover page. - Indicates value determined by Method of Standard Addition. - Indicates spike sample recovery is not within control limits. - Indicates duplicate analysis is not within control limits.				
Form I: alua - If the result is a value greater than or equal to the instrument detection limit but less than the contract required detection limit, report the value in brackets (i.e., [10]). Indicate the analytical method used with P (for ICP/Plame AA) or P (for furnace). - Indicates element was analyzed for but not detected. Report with the detection limit value (e.g., 100). - Indicates a value estimated or not reported due to the presence of interference. Explanatory note included on cover page. - Indicates value determined by Method of Standard Addition. - Indicates spike sample recovery is not within control limits. - Indicates duplicate analysis is not within control limits.			·	
detection limit but less than the contract required detection limit, report the value in brackets (i.e., [10]). Indicate the analytical method used with P (for ICP/Plane AA) or P (for furnace). - Indicates element was analyted for but not detected. Report with the detection limit value (e.g., 100). - Indicates a value estimated or not reported due to the presence of interference. Explanatory note included on cover page. - Indicates value determined by Method of Standard Addition. - Indicates spike sample recovery is not within control limits. - Indicates duplicate analysis is not within control limits.	ore I:	•		
report the value in brackets (i.e., [10]). Indicate the analytical method used with P (for ICP/Plane AA) or P (for furnace). - Indicates element was analyzed for but not detected. Report with the detection limit value (e.g., 100). - Indicates a value estimated or not reported due to the presence of interference. Explanatory note included on cover page. - Indicates value determined by Method of Standard Addition. - Indicates spike sample recovery is not within control limits. - Indicates duplicate analysis is not within control limits.				
- Indicates element was analyzed for but not detected. Report with the detection limit value (e.g., 100). - Indicates a value estimated or not reported due to the presence of interference. Explanatory note included on cover page. - Indicates value determined by Method of Standard Addition. - Indicates spike sample recovery is not within control limits. - Indicates duplicate analysis is not within control limits.				
detection limit value (e.g., 100). - Indicates a value estimated or not reported due to the presence of interference. Explanatory note included on cover page. - Indicates value determined by Method of Standard Addition. - Indicates spike sample recovery is not within control limits. - Indicates duplicate analysis is not within control limits.				. wah aha
- Indicates a value estimated or not reported due to the presence of interference. Explanatory note included on cover page Indicates value determined by Method of Standard Addition Indicates spike sample recovery is not within control limits Indicates duplicate analysis is not within control limits.				r Afra ros
- Indicates value determined by Method of Standard Addition Indicates spike sample recovery is not within control limits Indicates duplicate analysis is not within control limits.	- In	dicates a value estimated or mot	reported due to the pres	ence of
- Indicates spike sample recovery is not within control limits Indicates duplicate analysis is not within control limits.				
- Indicates duplicate analysis is not within control limits.	- Is	dicates spike sample recovery is	not within control limit	s.
	- In	dicates duplicate analysis is no	et within control limits.	

U.S. SPA Contract Laboratory Program Sample Management Office P.O. Box 818 - Alexandria, VA 22313 703/557-2490 PTS: 8-557-2490

less than 0.995

Reg. 7

Date 8-14-86

COVER PAGE B INORGANIC ANALYSES DATA PACKAGE

Lab Name	HITTHAN EBASCO ASS	OCLATES INC.	Case No. 54	15 2356H
SON No.	7/84		Q.C. Report &	
		Sample !		
EPA No.	Lab ID	No.	EPA No.	Lab ID No.
AM-05-	<u>4</u>	- 1	AM-06-4	A
AM-01-	5		AM-06-5	·
AM-02-	5	1	•	
AM-03-				
AM-04-1				
AM-05-E			كالأراف المستوالية والمستوالية والمستوالي	
AM-03-				
AM -06				
AM-06-				
Comments:	A-Same	as EPAnie	mbei	
المراتب الأحراب المراتب				
			applied? Tes 🗶	
If yes, con	rrections applied b	efore <u>K</u> o	r after genera	tion of raw data.
Pootnotes:			_	
MR - bot Form I:	required by contract	ct at this tim	•	
Value - If			an or equal to the in	
			ontract required determined [10]. Indicate the	
ne t	hod used with ? (fo	or ICP/Flame A	l) or F (for furnace).	
	icates element was ection limit value		but not detected. Rej	port with the
B - Ind	icates a value esti	mated or not	reported due to the pr	resence of
			luded on cover page. I of Standard Addition	
R - Ind	icates spike sample	recovery is	ot withis costrol lis	its.
			within control limits	

Ryg

Form I

LAB RAME Hittman Ebasc		NALTSIS DATA SHEET	AS 2356 H
SOW NO. 7/84		. (252 10	710 0 00011
LAB SAMPLE ID. NO. NA		QC REPORT NO	. <u>63</u>
		tified and Measured	
	ov X	Medium	
fatrix: Water	Soil	Sludge	Other X
ug/filt	Dag/L or mg/k	dry weight (Circle One)
. Aluminum		13. Magnesium	
. Antimony		14. Manganese	· · · · · · · · · · · · · · · · · · ·
. Arsenic 1.0U	F	15. Mercury	
. Barium		16. Mickel	· · · · · · · · · · · · · · · · · · ·
. Beryllium		17. Potassium	·
. Cadesium . SOUF	R	18. Selenium	
Calcium	· · · · · · · · · · · · · · · · · · ·	19. Silver	
Chrosius	·	20. Sodium	
Cobalt		21. Thallium	
). Copper		22. Tin	
l. Iron		23. Vanadium	
1. Lead 3.4F		24. Zinc /7	ip z
anide		Percent Solids (1)	
as defined on	Cover Page.	PA, standard result qua Additional flags or foo- finition of such flags , however.	tnotes explainin
ements:			·

Ref 2

U.S. EPA Contract Laboratory Progr Sample Management Office P.O. Box 818 - Alexandria, VA 223 703/557-2490 PTS: 8-557-2490	1 AM-01-21
	ANALYSIS DATA SHEET
LAB BAME Hittman Ebasco Assoc., I	Inc. CASE NO. SAS 2356 H
SON NO. 7/84	
LAB SAMPLE ID. NO. NA	oc report no. 53
	deptified and Heasured
Concentration: Low X	
Matrix: Water Boil	SludgeOther
<u> </u>	/kg dry weight (Circle One)
l. Alusipus	13. Magnesium
2. Antimony	14. Hangabese
3. Arsenic J.OUF	15. Mercury
4. Barium	16. Rickel
5. Beryllium	17. Potassium
6. Coleius O.SUFR	18. Selenium
7. Galcium	19. Silver
8. Chromium	20. Sodium
9. Cobalt	21. Thallium
10. Copper	22. Tin
11. Iron	23. Vanadium
12. Lead 8.9F	24. 21nc 21P 3
Cyanide	Percent Solids (I)
as defined on Cover Page.	EPA, standard result qualifiers are used. Additional flags or footnotes explaining Definition of such flags must be explicit age, however.
	Lab Kanager Gail Solomon/pur

Ref. 2

U.S. EPA Contract Laboratory Progr Sample Management Office P.O. Box 818 - Alexandria, VA 223 703/557-2490 PTS: 8-557-2490	13 AM-01-3
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Date 8-14-86
	C ANALYSIS DATA SHEET
LAB BAME Hittman Ebasco Assoc., I	Inc. CASE NO. SAS 2356 H
SOW NO. 7/84	
LAB SAMPLE ID. NO. NA	oc report no. 53
	deptified and Heasured
Concentration: Low	
Matrix: Water Soil	Sludge Other K
	/kg dry weight (Circle One)
1. Aluei due	13. Magnesium
2. Actinopy	14. Manganese
3. Arsenic 1.0UF	15. Mercury
4. Barium	16. Rickel
5. Beryllium	17. Potassium
6. Codesium 0.5UPR	18. Selenium
7. Calcium	19. Silver
8. Chromium	20. Sodium
9. Cobalt	21. Thellium
10. Copper	22. <u>Tin</u>
11. Iron	23. Vanadium
12. Lead 12FS	24. 21nc 23P I
Cyanide	Percent Solids (2)
as defined on Cover Page. results are encouraged. and contained on Cover Pa	EPA, standard result qualifiers are used. Additional flags or footnotes explaining Definition of such flags must be explicituae, however.
Comments:	
	<u>~_</u> .
•	Lab Manager Gail Schomon pur

RJ. 2

U.S. EPA Contract Laboratory Program Sample Management Office P.O. Box 818 - Alexandria, VA 22312 703/557-2490 PTS: 8-557-2490	i ΔM-01-41
INORGANIC	ANALYSIS DATA SHEET
LAB RAME Hittman Ebasco Assoc., In	c. CASE NO. SAS 2356 H
SON NO. 7/84	
LAE SAMPLE ID. NO. NA	QC REPORT NO. 53
Elements Id	entified and Heasured
Concentration: Low X	
Hatrix: Water Soil	Sludge Other K
(ug/filter) ug/2 or mg/k	ig dry weight (Circle One)
	13. Magnesium
2. Artimony	14. Mangapese
3. Arsenic 1.OUF	15. Mercury
4. Barium	16. Rickel
5. Beryllium	17. Potassium
6. Cotzim O.BUFR	18. Selenium
7. Galcium	19. Silver
8. Chromium	20. Sodium
9. Cobalt	21. Thallfum
10. Copper	22. Tip
11. Iron	23. Vanadium
12. <u>Lead</u> 29FS	24. <u>21nc</u> 43P 3
Cyanide	Percent Solids (I)
as defined on Cover Page.	•
	Lab Mazarez Greil Somman Dul

Fet. 2

Form I

U.S. EPA Contract Laboratory Pro Sample Management Office P.O. Box 818 - Alexandria, VA 2 703/557-2490 PTS: 8-557-2490	1 AM-01-61
Inorga	INIC ANALYSIS DATA SHEET
LAB BAME Hittman Ebasco Assoc.	, Inc. CASE NO. SAS 2356 H
SOU NO. 7/84	
LAB SAMPLE ID. NO. NA	oc report no. 53
	s Identified and Measured
Concentration: Low X	
Matrix: Water Soil	Sludge Other K
1. Aluminum 2. Artimony 3. Arsenic 1.DUF 4. Barium 5. Beryllium 6. Cadmium 0.5UFR 7. Calcium 8. Chromium 9. Cobalt 10. Copper 11. Iron 12. Lead 8.OFS	ag/kg dry weight (Circle One) 13. Magnesium 14. Manganese 15. Mercury 16. Mickel 17. Potassium 18. Selenium 19. Silver 20. Sodium 21. Thallium 22. Tin 23. Vanadium 24. Zinc ARP
Footnotes: For reporting results as defined on Cover Paresults are encouraged and contained on Cover	Percent Solids (2) to EPA, standard result qualifiers are used use. Additional flags or footnotes explaining i. Definition of such flags must be explicit Page, however. Lab Hanager Cook Schomenhaue

Frey ?

Form I

U.S. EPA Contract Laboratory Progr Sample Management Office P.O. Box 818 - Alexandria, VA 223 703/557-2490 PTS: 8-557-2490	$1 \Delta M_{-} \Delta J_{-} I_{-}$
Inorgani	C ANALYSIS DATA SHEET
LAB BAME Hittman Ebasco Assoc., 1	Inc. CASE NO. SAS 2356 H
LAE SAMPLE ID. NO. NA	oc report no. 53
Elements I	dentified and Measured
Concentration: Low X	
Matrix: Vater \$011	Sludge Other K
ag/filter ug'i or mg	/kg dry weight (Circle One)
1. Aluminum	13. Hagpesium
2. Artimony	14. Kangapese
3. Arsenic 1.0UF	15. Mercury
4. Barium	16. Rickel
5. Beryllius	17. Potassium
6. Cotetue 0.5UFS	18. Selenium
7. Calcium	19. Silver
8. Chromium	20. Sodium
9. Cobalt	21. Thallium
10. Copper 11. Iron	22. <u>Tip</u>
12. Lead 8.3FS	23. Vanadium 24. Zinc 16P 3
Cyanide	
Footnotes: For reporting results to as defined on Cover Page.	Percent Solids (I) EPA, standard result qualifiers are used. Additional flags or footnotes explaining Definition of such flags must be explicit age, however.
	Lab Manager Gail Solomontour

Ref

U.S. EPA Contract Laboratory Progr Sample Management Office P.O. Box 818 - Alexandria, VA 223	1 AM-01-21
703/557-2490 PT S: 0- 557-2490	Date 8-14-86
INORGANI	C ANALYSIS DATA SHEET
LAB RAME Hittman Ebasco Assoc., 1	046 676611
SON NO. 7/84	-
LAB SAMPLE ID. NO. NA	oc report bo. 63
Elements I	deptified and Measured
Concentration: Low X	······································
Matrix: Vater Soil	Sludge Other K
بدارا و	
V ·	/kg dry weight (Circle One)
	13. Magnesium
2. Actibody	14. Mangabese
	15. Mercury
4. Barium	16. Fickel
6. Codesium 0.5UFR	17. Potassium
	18. Selenium
7. Calcium	19. Silver
8. Chromium	20. Sodius
9. Cobalt	21. Thallium
10. Copper	_ 22. <u>Tin</u>
11. Iron 12. Lead 147F5	23. Vanadium 24. Zinc 88P I
Cyanide	Percent Solids (1)
as defined on Cover Page	
·	
	Lab Manager Gril Solomon/suk

Ry.

inc. Case No. SAS 2356 H OC REPORT NO. 53
•
Identified and Measured Medium
Sludge Other K
/kg dry weight (Circle One) 13. Magnesium
14. Manganese
15. Mercury
16. Rickel
17. Potassium
18. Selenium
19. Silver
20. Sodium
21. Thallium
23. Vanadium 24. Zinc 1699 Z
Percent Solids (2)
o EPA, standard result qualifiers are use. Additional flags or footnotes explaining Definition of such flags must be explicitage, however.

Ref 3

U.S. EPA Contract Laboratory Prog Sample Management Office P.O. Box 818 - Alexandria, VA 22 703/557-2490 FTS: 8-357-2490	1 AM-D2-41
Inorgan	IC ANALYSIS DATA SHEET
LAB BAME Hittman Ebasco Assoc.,	046 6366 11
SON NO. 7/84	
LAB SAMPLE ID. NO. NA	oc report no. 63
Elements	Identified and Measured
Concentration: Low X	Medium
Matrix: Water Soil	Sludge Other K
ug/filteras : 2 or .	g/kg dry weight (Circle One)
1. Alusi nus	13. Magnesium
2. Antimony	14. Manganese
3. Arsenic 6.6FS	15. Mercury
4. Barium	16. Mickel
5. Beryllium	17. Potassium
6. Cotaine 0.54FR	18. Selenium
7. Calcium	19. Silver
8. Chromium	20. Sodium
f. Cobalt	21. Thallfum
10. Copper	22. Tin
11. Iron	23. Vanadium
12. Lead /3/F	24. 2inc 98P =
Cyanide	Percent Solids (I)
as defined on Cover Page	to EPA, standard result qualifiers are used e. Additional flags or footnotes explaining Definition of such flags must be explicit Page, however.
	Lah Karasar Grid Solanga hum

Ref. R

U.S. EPA Contract Laboratory Progra Sample Management Office P.O. Box 818 - Alexandria, VA 2233 703/557-2490 PTS: 8-557-2490	AM-02-5
PNABALTA	Date 8-14-86
	ne. Case Bo. SAS 2356 H
SOU NO. 7/84	He.
LAB SAMPLE ID. NO. NA	oc report no63
Elements I	dentified and Heasured
Concentration: Low X	
	Sludge Other K
1. Alueious	kg dry weight (Circle One)
2. Antimony	13. Magnesium 14. Manganese
3. Arsenic 1.8 FS	15. Mercury
4. Barium	16. Nickel
5. Beryllium	17. Potassium
6. Codeline O. BUFR	18. Selenium
7. Calcium	19. Silver
8. Chromium	20. Sodium
5. Cobalt	21: Thellium
10. Copper	22. Tin
11. Iron	23. Vanadium
12. Lead 48FS	24. Zinc 51P 3
Cyanide	Percent Solids (2)
as defined on Cover Page.	
	Lab Manager Gail Solomon Jouk

Ref. 2

U.S. EPA Contract Laboratory Pr Sample Management Office P.O. Box 818 - Alexandria, VA 703/557-2490 PTS: 8-557-2490	22313 AM-03-1
INORG	Date 8-14-86 ANIC ANALYSIS DATA SHEFT
LAB RAME Hittman Ebasco Assoc.	0-1 4356 11
SOV NO. 7/84	
LAB SAMPLE ID. BO. NA	oc report no. 63
Elemen:	s Identified and Measured
Concentration: Low X	
Matrix: Water Soil	Sludge Other K
ug/filterez/2 or	mg/kg dry weight (Circle One)
1. Alue due	13. Hagpesium
2. Antimony	14. Mangapese
3. Arsenic JOUF	15. Hercury
4. Barium	16. Rickel
5. Beryllium	17. Potassium
6. Cotes us 0.54FR	18. Selenium
7. Calcium	19. <u>Silver</u>
8. Chromium	20. <u>Sodius</u>
9. Cobalt	21. Thallium
10. Copper 11. Iron	22. <u>Tin</u>
12. Lead 0,54FXKH	23. Vanadium 24. Zinc 0.449 3
Crazide	
0,8206	Percent Solids (I)
as defined on Cover P.	
	
	Lab Mazarez Grea / Solomon/Dus

Ref. 7

U.S. EPA Contract Laboratory Program Sample Management Office P.D. Box 818 - Alexandria, VA 22313	$i \Delta M - DR - 2i$
703/557-2490 PTS: 8-557-2490	Date 8-14-86
INORGANIC A	ANALYSIS DATA SHEET
LAB BAME Hittman Ebasco Assoc., Inc	CASE NO. SAS 2356 H
SON NO. 7/84	
LAB SAMPLE ID. NO. NA	oc report no. 53
Elements Ide	ntified and Measured
Concentration: Low X	
Matrix: Water Soil	Sludge Other K
1. Afuer our ugsfilter ve/2 or mg/k	g dry weight (Circle One) 13. Magnesium
2. Artimony	14. Manganese
3. Arsenic 1.4FS	15. Hercury
4. Berium	16. Rickel
5. Beryllium	17. Potassium
6. Codesium 0.5UFR	18. Selenium
7. Calcium	19. 511ver
8. Chromium	20. Sodium
9. Cobalt	21. Thallium
10. Copper	22. Tin
11. Iron	23. Vanadium
12. Lead 26F	24. Zinc 34P 3
Cyanide	Percent Solids (I)
as defined on Cover Page.	EPA, standard result qualifiers are used Additional flags or footnotes explaining efinition of such flags must be explicit to, however.
	-
	Lab Manager Goil Solomon/Duk

Ref 2

Sample P.O. B	EPA Contract Management Sox 818 - Ale 37-2490 FTS:	Office examoria,	VA 2231			į_	AM-03-3
		3	NORGANIC	ANALTS	15 DATA SHE	EĪ	
LAB BA	ME Bittman	Ebasco A	ssoc., In	ic.	CASE	mo. 5	AS 2356 H
	7/84					*******	
	APLE ID. NO.				QC EI	PORT NO	. 63
		<u> </u>	ements Id	entifie	d and Measu	red	
Concent	ration:	Lou	X	_	Mediu		
Matrix:	Water		501l		Sludge	-	Other K
	ug/4	ilter	/L or mg/l	rg d 13	weight (Cir	cle One)
1. 470	<u> </u>			_ 13.	Kappesium		
2. Att	12007			. 14.	Mangabese		,
3. Ars	enic], [DUF		15.	Mercury		
4. Bar	ium			•	Rickel		
5. Ber	y111uz			. 17.	Potassium		
6. Cad	etus O	. SUFR	<u></u>	18.	Selenium		
7. <u>Cal</u>	cium			19.	Silver		
8. Chr	ज्यारं प्रक		·	20.	Sodium:		
s. Cobe	ut			21.	Thallfum		
10. Cop			·	22.	Tip		
11. <u>Iron</u>				23.	Vanadium		
12. Lead	21	5FS		24.	line	287	7 3
Cyanide	***			Perc	ent Solida	(2)	
Footnote	as defin results and cont	ed on Cor are encou ained on	er Page.	Addit Definit se, how	ional flags ion of such ever.	or foot	niifiers are used inotes explaining must be explicit
	:				Lab Manage	r <u>C</u> a	il Solomon/sux

Hef. 2

TAR RAME DIAMES THE		-	case no. SAS 2356 H
LAB SAME Hittman Ebs SOW NO. 7/84		ac.	Cast 10. 2712 023017
LAB SAMPLE ID. NO. N			oc report no. 63
6			ed and Measured
	Lov X	_	Medium
Matrix: Water	5011		Sludge Other K
(ug)	Dug! or mg/	kg dr y	weight (Circle One)
l. Aluribus			Magnesium
Artimony		14.	Manganese
. Arsenic 1.2	FS	15.	Mercury
. Barium		16.	Rickel .
. Beryllium		17.	Potassium .
. Cotetue O.5	UFR	18.	Selenium
. Calcium		19.	Silver
. Chromium		20.	Sodium
. Cobalt		21.	Thallfum
O. Copper		22.	Tin
l. Iron		23.	Vanadium
2. <u>Lead</u> 40 FS	S	24.	2inc 36P 5
yanide		Perc	ent Solids (I)
as defined (results are	on Cover Page.	Addit Definit	standard result qualifiers are use from flags or footnotes explaining from of such flags must be explici-

Ref

U.S. EPA Contract Laboratory Program Sample Management Office P.O. Box 818 - Alexandria, VA 22313 703/557-2490 PTS: 8-557-2490	1 AM-03-61
INORGANIC	ANALYSIS DATA SHEET
LAB BAME Hittman Ebasco Assoc., In	CMC 136/ 11
SOL NO. 7/84	
LAB SAMPLE ID. NO. NA	oc report no. 53
Elements Ide	entified and Measured
Concentration: Low X	Medium
Matrix: Water Soil	Sludge Other K
ug littere 12 or me 12	ng dry weight (Circle One)
1. Alusious	13. Harpesium
2. Arrinony 3. Arsenic 1.0UF	14. Manganese
	15. Hercury 16. Rickel
4. Barium	17. Potassium
5. Beryllium 6. Cadmium 0.5UFR	18. Selenium
7. Calcium	19. Silver
8. Chromium	20. Sodium
5. Cobalt	21. Thallium
10. Copper	22. Tin
11. Iron	23. Vanadium
12. Lead 30FS	24. Zinc 23P 5
Cyanide	Percent Solids (I)
as defined on Cover Page.	EPA, standard result qualifiers are used Additional flags or footnotes explaining Definition of such flags must be explicit it, however.
	Led Hazager Onil Solomontour

malnomoks has			
•	7.		
•		_	: 974
ratis and tend silve		ire encouraged. Defi Lined on Cover Page,	
footnotes explaint	ditional flags or	ed on Cover Page. Ad	es define
en sia alslitans :	fuest braheats	ATS of allusat galit	ocinotes: For repo
	(X) sbilod resors	1	Sprade
SOCL	6. Zinc (0	1	2. Leed 950
	mulbanay . Ci		goal .[
	12. Ttb		194GoD .01
	mutitadī .is		itadoo .
	su:bod .05		su lectos de
	19. \$13727		milital .
	अहारमहास्य	5878	ه. ده ده ده ده ده
•	mitsesiof . Ti		sulligad .d
	16. Rickel		mutred .4
	15. Hercury	J.F.	3. Arsenic 5
	14. Kanganese		Z. Arrinony
	Butsaczan . El		1. Aluetaulh .1
(990)	statio) idgise (ti	Manuelle or melle	7/600)
Z 23410 -	\$3pn[g	tros -	Matrix: Water
	Enthel	X non	Concentration:
Ē	erusasM boa bettt	Idabi aldadail	
C.C. CON IN	0433 3 0		ON 'GI STARVS EVI
E 9 .011 II		**************************************	78/4 :04 :405
110000000000000	OH 1570	.aulaesh oassda	
H 99EC SUS .	THE NING SIST		
8-11-8 220		va : का स्वयं : च्या च च विष्	
 ,			303/221-5490 112:
		ELECS AV , atthorax	P.O. Box 818 - Ale
1-10-WH			guamadenny ardmes

CAL

Ref. 2

Form I

U.S. EPA Contract Laboratory Progra Sample Management Office P.O. Box 818 - Alexandria, VA 2231 703/557-2490 PTS: 8-557-2490	$ \Delta M_{-}\Omega 1/-5 $
	ANALYSIS DATA SHEET
LAB BAME _ Hittman Ebasco Assoc., Is	ac. CASE NO. SAS 2356 H
SOL NO. 7/84	
LAB SAMPLE ID. NO. NA	oc report no63
	·
Elements Id	entified and Measured
Concentration: Low X	Medium
Matrix: Water Soil	Sludge Other K
1. Aluminum 2. Artimony 3. Arsenic 1.5 FS	kg dry weight (Circle One) 13. Magnesium 14. Manganese 15. Mercury
4. Berium	16. Wickel
5. Beryllium	17. Potassium
6. Cadeline .50 UFR	18. Selenium
7. Calcium	19. Silver
8. Chromium	20. Sodíus
5. Cobalt	21. Thallium
10. Copper	22. Tin
11. Iron	23. Vanadium
12. Lead 30F	24. Zinc 39 P 3
Cyanide -	Percent Solids (2)
as defined on Cover Page.	EPA, standard result qualifiers are used Additional flags or footnotes explaining Definition of such flags must be explicit
	Lab Hanager Gail Solomon Jank

Ref- 2

Form I

Sample Man P.O. Box 8	ontract Laborat agement Office 18 - Alexandria 90 PTS: 8-357-	, VA 22313			AM-04-3 Date 8-14-86
		INORGANIC A	NALTS:	IS DATA SHEET	
LAB BAME I	Hittman Ebasco	Assoc., Inc	•	CASE NO.	SAS 2356 H
	7/84				
LAB SAMPLE	ID. NO. NA			QC REPOR	T NO. <u>63</u>
	<u>1</u>	lepents lder	otifie	d and Measured	
Concentrati	on: Low	, <u>x</u>		Hedium	
Metrix: We	ter	So11		Sludge	Other <u>K</u>
l. Aluxian				veight (Circle Kagnesium	One)
2. Artimony		· · · · · · · · · · · · · · · · · · ·		Manganese	
3. Arsenic		FS			
4. Barium				Fickel	
5. Berylliu				Potassium	
6. Cadeium		UFR		Selenium	· · · · · · · · · · · · · · · · · · ·
7. Calcium			19.	Silver	
8. Chronium			20.	Sodium	
5. Cobalt			21.	Thallium	
10. Copper			22.	Tin	
11. Iron			23.	Vanadium	
12. Lead	.36 FS	5	24.	Zinc	43 PJ
Cyanide			Perc	er: Solids (I)	
Footnotes: For reporting results to EPA, standard result qualifiers are used as defined on Cover Page. Additional flags or footnotes explaining results are encouraged. Definition of such flags must be explicit and contained on Cover Page, however. Comments:					
-		<u></u>		<i>-</i>	•
·					
	•			Lab Manager _	Gail Sdononf

Ref. 2

U.S. EPA Contract Laboratory Prog Sample Management Office P.O. Box 818 - Alexandria, VA 22 703/557-2490 PTS: 8-557-2490	AM-04-4
THODCAR	TO ANALYSIS DATA SHEET
LAB EAME Hittman Ebasco Assoc.,	CH(ADE/ 11
SOL NO. 7/84	
LAB SAMPLE ID. NO. NA	oc report no. 53
	Identified and Measured
Concentration: Low X	
Matrix: Water Soil	Sludge Other X
Mey Gilter ug/2 or m	g'kg dry weight (Circle One)
1. Aluxinum	13. Magnesium
2. Artimony	14. Hanganese
3. Arsenic 10 UF	15. Mercury
4. Barium	16. Mickel
5. Beryllium	17. Potassium
6. Cottim .50 UFR	18. Selenium
7. Calcium	19. Silver
8. Chromium	20. <u>Sodium</u>
9. Cobalt	21. Thallium
10. Copper	22. Tin
11. <u>Iron</u>	23. Vanadium
12. <u>Lead</u> 64 FS	24. 21nc 35 P J
Cyanide	Percent Solids (I)
as defined on Cover Pag	•
•	Lab Hazager Gail Solomon !

R42

U.S. EPA Contract Laboratory Prog Sample Management Office P.O. Box 818 - Alexandria, VA 22	i AM-M-Li
703/557-2490 PTS: #-557-2490	Date 8-14-86
INORGAN	IC ANALYSIS DATA SHEET
LAB RAME Hittman Ebasco Assoc. ,	Inc. CASE NO. SAS 2356 H
SOF NO. 7/84	
LAB SAMPLE ID. NO. NA	oc report no. 53
Frenents	Identified and Measured
Concentration: Low	
	Sludge Other K
Ma Giter ug 12 or	g/kg dry weight (Circle One)
1. Aluxi bux	13. Hagnesium
2. Actimony	14. Manganese
3. Arsenic 15FS	15. Hercury
4. Barium	16. Nickel
5. Beryllium	17. Potassium
6. Cadesum .50 UFR	18. Selenium
7. Calcium	19. Silver
8. Chrosius	20. Sodium
9. Cobalt	21. Thallium
10. Copper	22. Tip
11. Iron	23. Vanadium
12. Lead Z7 F	24. 2inc 27 PJ
Cyanide	Percent Solids (I)
as defined on Cover Page	to EPA, standard result qualifiers are used e. Additional flags or footnotes explaining Definition of such flags must be explicit Page, however.
	Leb Hanager Gail Solonion

Ref. x

U.S. EPA Contract Laboratory Progr Sample Management Office P.O. Box 818 - Alexandria, VA 223	1 AM-16-11
703/557-2490 PTS: 6-557-2490	Date 8-14-86
INORGANI	C ANALYSIS DATA SHEET
LAB BAME Hittman Ebasco Assoc.,	246 4366 11
SOL BO. 7/84	
LAB SAMPLE ID. NO. NA	oc report no. 53
Elements :	Identified and Measured
Concentration: Low X	
Matrix: Water \$011	
(Morell) ug/1 or me	/kg dry weight (Circle One)
1. Aluxinus	13. Hagpesium
2. Aptimony	14. Manganese
3. Arsenic 175×FS	15. Hercury
4. Barium	16. Rickel
5. Beryllium	17. Potassium
6. Code: us 5.2 NA O.SUFRS	18. Selenium
7. Calcium	19. Silver
8. Chromium	20. Sodium
9. Cobalt	21. Thallium
10. Copper	22. Tin
11. Iron	23. Vanadium
12. Lead 348 27FF	24. 210c 527 PJ
Cyanide	Percent Solids (2)
as defined on Cover Page	o EPA, standard result qualifiers are used . Additional flags or footnotes explaining Definition of such flags must be explicit age, however.
Comments:	<u> </u>
	5
-	
	Lab Hamager Coul Somon

Refin

Sı Z.	emple Mar	tagement Of	endria, VA			AM-05-1
/ (13/33/-24	470 713; 6	-331-2490			Date 8-14-86
			inorg	ANIC ANALTS:	S DATA SHEET	
24	B BAME _	Hittman E	esco Assoc	, Inc.	CASE NO	. <u>SAS 2356 H</u>
\$0	W NO.	7/84				
2.4	B SAMPLE	ID. NO	NA		QC REPO	17 No. <u>53</u>
					d and Measured	1
Co:	ncentrati	ion:	Low X		Medium _	
Hat	trix: V	rer	\$o11		Sludge	Other <u>K</u>
		ant	7			
		Gil	kr) us/2 or	mg/kg dry	veight (Circle	One)
1.	Alua: Du	12		13.	Magnesium	
2.	Artimon				Mangapese	
	Arsenic		OUF	15.	Mercury	
4.	Barium			16.	Fickel	
5.	Beryll!				Potassium	·
6.	Cadedus	5	50 UFR	18.	Selenium	
7.	Calcium			19.	Silver	
8.	Ct: out w	<u> </u>		20.	Sodium	
9.	Cobalt			21.	Thallium	
10.	Copper		~	22.	Tip	
11.	Iron			23.	Vanadium	
12.	Lead	14	<u>FS</u>	24.	Zinc	17 P 3
Cyar	ಚರೀ		 	Perc	ent Solids (2)	
Footnotes: For reporting results to EPA, standard result qualifiers are used as defined on Cover Page. Additional flags or footnotes explaining results are encouraged. Definition of such flags must be explicit and contained on Cover Page, however. Comments:						
	_				~	•
						7
					Lab Manager	Goil Solomon/Duce

Reporx

Fore I

U.S. EPA Contract Laboratory Progra Sample Management Office P.O. Box 818 - Alexandria, VA 2231 703/557-2490 PTS: 8-557-2490	100-06-2
INORGANIC	ANALYSIS DATA SHEET
LAB BAME Hittman Ebasco Assoc I	nc. Case No. SAS 2356 H
SOU NO. 7/84	
LAB SAMPLE ID. NO. NA	QC REPORT NO. 63
Elements I	dentified and Measured
Concentration: Low X	
	Sludge Other X
1. Aluxibus 2. Aprimony 3. Arsenic Jo4 F 4. Barius	'kg dry weight (Circle One) 13. Magnesium 14. Manganese 15. Mercury 16. Rickel
5. Beryllium	17. Potassium
6. Codesine 150 UFR	18. Selenium
7. Calcium	19. Silver
8. Chromium	20. Sodium
9. Cobalt	21. Thallium
10. Copper	22. Tin
11. Iron	23. Vanadium
12. Lead 30 F	24. 21nc 55PJ
Cyanide	Percent Solids (I)
as defined on Cover Page.	EPA, standard result qualifiers are used Additional flags or footnotes explaining Definition of such flags must be explicit ge, however.
	Lab Hanager Gril Solomon Durk

Fef 2

Form 1

U.S. EPA Contract Laborato Sample Management Office P.O. Box 818 - Alexandria, 703/557-2490 PTS: 8-557-2	VA 22313	AM-06-4 Date 8-14-86
	INORGANIC ANALYS	_
LAB RAME Hittman Ebasco A	issoc., Inc.	CASE NO. SAS 2356 H
SOU NO. 7/84		
LAB SAMPLE ID. NO. NA	· · · · · · · · · · · · · · · · · · ·	QC REPORT NO. 53
<u>E:</u>	ements Identifi	ed and Measured
Concentration: Low	_X	Medium
Matrix: Water	Soil	Sludge Other K
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		weight (Circle One)
1. Alueious		Magnesium
2. Artimony		Manganese
3. Arsenic /ol		Mercury
4. Barium		Rickel
5. Beryllium 6. Codmium • 50		Potassium Selenium
6. Codefue / SU 7. Colcium		Silver
8. Chronium		Sodium
9. Cobalt		Thallium
10. Copper		Tin
11. Iron		Vanadium
	· _	21nc 43P3
Cyanide		ent Solids (I)
as defined on Co results are enco and contained on	esults to EPA, s	standard result qualifiers are used ional flags or footnotes explaining tion of such flags must be explicit
Comments:		
		<u>-</u>
Weeks - 1, 2 To File		
		
·		Las Manager Gail Solomonfour

Ref. 2

U.S. EPA Contract Laboratory Program Sample Management Office P.O. Box 818 - Alexandria, VA 22313 703/557-2490 PTS: 8-557-2490	1 AM-06-61
	ANALYSIS DATA SHEET
LAB BAME <u>Eittman Ebasco Assoc.</u> , In	case no. <u>SAS 2356 H</u>
SOU NO. 7/84	-
LAB SAMPLE ID. NO. NA	oc report no. 53
	entified and Measured
Concentration: Low X	
Matrix: Water Soil	Sludge Other K
1. Aluminum 2. Artimony 3. Arsenic 1.0 UF 4. Barium 5. Beryllium 6. Cadmium • 50 UFR 7. Calcium 8. Chromium 9. Cobalt 10. Copper 11. Iron 12. Lead 16F	13. Magnesium 14. Manganese 15. Mercury 16. Mickel 17. Potassium 18. Selenium 19. Silver 20. Sodium 21. Thallium 22. Tin 23. Vanadium 24. Zinc ZTPI Percent Solids (Z)
Footnotes: For reporting results to a defined on Cover Page.	EPA, standard result qualifiers are used Additional flags or footnotes explaining Definition of such flags must be explicit to, however.
	Lab Manager Gail Schomonh

Rega

Form 1

U.S. EPA Contract Laboratory Progra Sample Management Office P.O. Box 818 - Alexandria, VA 2231 703/557-2490 PTS: 8-557-2490	$1 \Delta M - 2 = 2$
INORGANIC	ANALYSIS DATA SHEET
LAB BAME Bittman Ebasco Assoc., In	041 67611
SOU NO. 7/84	**************************************
LAB SAMPLE ID. NO. NA	QC REPORT NO. 63
	Sentified and Measured
Concentration: Low X	
Matrix: Water Soil	Sludge Other K
My Giller ug'l or mg!	kg dry weight (Circle One)
1. Aluei due	13. Magnesium
2. Attimony	14. Manganese
3. Arsenic 1.0 UF	15. Mercury
4. Barium	16. Nickel
5. Beryllium	17. Potassium
6. Codeline 150 UFR	18. Sejenium
7. Calcium	19. Silver
8. Chromium	20. Sodium
9. Cobalt	21. Thallium
10. Copper	22. Tib
11. Iron	23. Vanadius
12. Lead I SOUF TOFT	24. 210c 0.4 OF ZIPKS
Cyanide	Percent Solids (2)
as defined on Cover Page.	EPA, standard result qualifiers are used Additional flags or footnotes explaining Definition of such flags must be explicit ge, however.
	•
	Lab Massager Greil Schomonfour

Ry 2

Fore 1

U.S. EPA Contract Laboratory Prog Sample Management Office P.O. Box 818 - Alexandria, VA 22. 703/557-2490 PTS: 8-557-2490	$1 \Delta M - \Omega I - 31$
INORGAN	IC ANALYSIS DATA SHEET
LAB BAME Hittman Ebasco Assoc.,	Inc. CASE NO. SAS 2356 H
SOV NO. 7/84	
LAB SAMPLE ID. NO. NA	QC REPORT NO. 53
	Identified and Measured
Concentration: Low X	
Matrix: Water Boil	Sludge Other K
7,410	g/kg dry weight (Circle One)
	13. Hagnesium
2. Artimony	14. Manganese
3. Arsenic 1.0 UF	15. Mercury
4. Barium	16. Rickel
5. Beryllius	17. Potassium
6. Cadesium 150 OFR	18. Selenium
7. Calcium	19. Silver
8. Chromium	20. Sodius
9. Cobalt	21. Thallium
10. Copper	22. <u>Tib</u>
II. Iron	23. Vanadius
12. Lead , 50 UF	24. 21Dc 0.4 UP 3
Cyanide	Percent Solids (I)
as defined on Cover Page	to EPA, standard result qualifiers are used to additional flags or footnotes explaining Definition of such flags must be explicit Page, however.
	2
**************************************	Lab Hazager Grail Solonon Jour

Ref. 2

U.S. EPA Contract Laboratory Progra Sample Management Office P.O. Box 818 - Alexandria, VA 2231 703/557-2490 PTS: 8-557-2490	1 AM-06-41
703/33/-1490 F18. 6 -33/-1490	Date 8-14-86
INORGANIC	ANALYSIS DATA SHEET
LAB BAME Hittman Ebasco Assoc., I	nc. CASE NO. SAS 2356 H
SON NO. 7/84	(7
LAB SAMPLE ID. NO. NA	oc report no. <u>63</u>
Elements I	deprified and Measured
Concentration: Low X	
Matrix: Vater Soil	Sludge Other X
Morfiller us /2 or me	'kg dry weight (Circle One)
1. Alueinus	13. Hagnesium
2. Aptimony	14. Manganese
3. Arsenic 1100F	15. Hercury
4. Barium	16. Rickel
5. Beryllius	17. Potassium
6. Codesium 0.5 UFR	18. Selenium
7. Calcium	19. Silver
8. Chrosius	20. <u>Sodium</u>
f. Cobalt	21. Thallium
10. Copper	22. <u>Tin</u>
11. Iron 12. Lead 0.5 ()F	23. Vanadium
	24. 21nc 0,40PJ
Cyanide	Percent Solids (I)
as defined on Cover Page. results are encouraged. and contained on Cover Pa	•
•	£ •
	Leb Manager Croil Schononly

Rega

U.S. EPA Contract Laboratory Progr Sample Management Office	1 AM-06-61
P.O. Box 818 - Alexandria, VA 223 703/557-2490 PTS: 8-557-2490	
700,000	Date 8-14-86
INORGANI	C ANALYSIS DATA SHEET
LAB BAME Hittman Ebasco Assoc.,	Inc. CASE NO. SAS 2356 H
SON NO. 7/84	
LAB SAMPLE ID. NO. NA	QC REPORT NO. 53
	dentified and Heasured
Concentration: Low X	
Matrix: Water Soil	Sludge Other K
Mo Gile ug /2 or mg	/kg dry weight (Circle One)
1. Aluei sue	13. Magnesium
2. Antimony	14. Mangapese
3. Arseric 1.0 UF	15. Mercury
4. Barium	16. Mickel
5. Beryllius	17. Potassium
6. Codetime O.S UFR	18. Selenium
7. Calcium	19. Silver
8. Chrosius	20. Sodium
9. Cobalt	21. Thallium
10. Copper	22. Tin
11. Iron	23. Vanadius
12. Lead 0,50T	24. Zinc 0.4 UFJ
Cyanide	Percent Solids (I)
as defined on Cover Page	EPA, standard result qualifiers are used. Additional flags or footnotes explaining Definition of such flags must be explicit age, however.
Comments:	
•	•

	Let Hesser Gail Sdomonfour

Ref. 7

REGION VIII SUMMARY OF DATA QUALITY ASSURANCE REVIEW

Case No. 6218	Project No	8608-05
Site Richardson Flats		
Contractor Laboratory Hittman	Ebasco	
Data Reviewer L Roberts	Date of Review	9/5/86
Sample Matrix Soil - Inorga	anic	
MHD863 MH0864		
() Data are acceptal () Data are acceptal () Data are prelimin () Data are unaccep	ble for use with qua	
Action required by DPO?		
No Yes Follo	wing items require a	ction
Action required by Project Office	r (PO)?	



Pollowing are our findings:

The As, Hg, 56,5= and to I result are played with
on R due to spike recoveries beyond the ± 2.5% control
limit. The As Hg and I I nothing spike recoveries are
very high, this may indicate a positive bigs. The duplinte
RPD vouls for Cr. Al, Ca, Mg, Hg and Zn were between
39 and 6190. These routs should be considered
puentitation stimutes. The resial delution rough for
Be Co, K, Sh and V indicate. Het an interperence
may be present for these elements.
The laboratory submitted corrected Form I's
because they had originally miscolculated the
natrix spike recoveries. The new John I's are
deliveret to real and combusing.
difficult to read and confusing.
~

Rej. 2

FORM A

Inorganic Data Completeness Checklist

/_	Inorganic analysis data sheets
	Initial calibration and calibration verification results
	Continuing calibration verification
	Instrument Detection limits
	Duplicate results
	Spike results
	ICP interference check sample
	Blank results
	Serial Dilution Results
	Raw data for calibration standards
	Raw data for blanks
	Raw data for samples
——————————————————————————————————————	Raw data for duplicates
	Raw data for spikes
	Raw data for furnace AA
	Percent solids calculation - soils only
	Traffic Reports

Ref 2

FORM B

YES	NO
Comments:	
Continuing calib	ration data were reviewed and these data met all contract
requirements.	
YES	NO
Comments:	
A blank was run i	with every twenty samples or less per case.
YES YES	NO
Comments:	
How many elements	s were detected above the required detection limit?
How many elements	s were detected at greater than one half the amount
detected in any s	,
Comments:	<u></u>

Ref 5

FORM C

The interference check sample was run twice per eight hour shift. No massive interferences were present. YES
All matrix spike requirements were met. YES
All inorganic detection limits met the contract requirements.
YES NO

Comments:

REP R

FORM D

All Laboratory Control Samples	s met specified contract limits.
YES	1;0
Comments:	
Serial Dilution requirements w	vere met.
YES	NO
fearlto 7110% Sh 34% V 68%	= plan andied
56 34% V 68% Co 14% Be 12%	E play applied Taboratory ded not play. Later
K 15%	anoratory and gy
The Furnace Atomic Absorption	Analysis Scheme was followed correctly.
. /	
YES	NO
All holding times were met.	
YES	NO
Comments:	NO
Commences.	

Ry. 2

U.S. EPA Contract Laboratory Program Sample Management Office P.O. Box 818 - Alexandria, VA 22313 703/557-2490 FTS: 8-557-2490

Date 8/22/86

	COVER PAGE	_	, ,
lab Na a Namero Enegge	INORGANIC ANALYSES I	ATA PACKAGE	81601
Lab Name HITTMAN EBASCO	ASSUC. INC.	Case No.	66
SOW No. 7/8.	<u> </u>	Q.C. Report N	o
Lab Receipt Date	786		
	Sample Numb	ers	
التربيد التربي	ID No.	EPA No.	Lab ID No.
MHD 861	1		
1 862			
863			
864			
865		**************************************	
			
		•	
		0.00 1/2 000	
Comments: 32-50me	as EPA . UV	- cola vapor	
Sb-feurace sp	be levels us	ed for ICAP	analysis.
105(final) not	run. analyst	- will be mor	e careful in
The future.	7		. v
V			
		•	
ICP interelement and back	ground corrections a	pplied? Yes 🗸	No •
If yes, corrections appli			
Footnotes:			
NR - Not required by c			
Form 1:	ontract at this time	•	
Value - If the result is			
	t less than the cont: in brackets (i.e., []	-	
•	P (for ICP), A (for	* ·	-
U - Indicates element	was analyzed for but	not detected. R	
	ion limit value (e.g.		
	estimated or not rep planatory note includ		•
s - Indicates value d	etermined by Method o	of Standard Additi	on.
	ample recovery is not		
	te analysis is not wi relation coefficient		
less than 0.995			
M - Indicates duplicat	te injection results	exceeded control .	limits.

Indicate method used: P for ICP; A for Flame AA and F for Furnace.

Conected forms

Hot-R

U.S. EPA Contract Laboratory Prog Sample Management Office P.O. Box 818 - Alexandria, VA 22 703/557-2490 FTS: 8-557-2490	1112 011
LAB NAME HITTMAN EBASCO INSOC. IN	TIC ANALYSIS DATA SHEET
LAB SAMPLE ID. NO. N/A	QC REPORT NO. 56
Concentration: Low V	Identified and Measured Medium Sludge Other
ug/L or	ng/kg dry weight (Circle One)
1. Aluminum 11300 PA	13. <u>Hagnesium</u> 36700 At
2. Antimony 89 PN E	14. Manganese 15400PAFEH
3. Arsenic 7.5FNS	15. Mercury 0.2CVNA
6. Barium 144PAFEH	16. Nickel 62 AHKH
5. Beryllium 44PXH 43PA	EE 17. Potassium [965] P E
6. Cadmium 12Px	18. Selenium 1.0UFN
7. Calcium 129000P*	19. Silver 2.0UF
8. Chromium 743F k S	20. <u>Sodium</u> <u>5130P</u>
9. Cobalt 159PAFETT E	21. Thellium . & OUFN
10. Copper 100PATATE	22. Vanadium 1390PAFKHE
11. Iron /03000P	23. Zinc 84P*
12. Lead 418F#	Precent Solids (2) 98.7
Cyanide NR	•
as defined on Cover Pag	
	Lab Kanager Hull Salomen

Conecteel Jon

Ref. a

U.S. EPA Contract Laboratory Pr Sample Management Office P.O. Box 818 - Alexandria. VA	1411 01 6
703/557-2490 FTS: 8-557-2490	Date 8/22/86
LAB NAME HITTMAN EBASCO MESOC.	TANIC ANALYSIS DATA SHEET
SOW NO. 7/85	INC. CASE NO. 63(8
LAB SAMPLE ID. NO. N/A	QC REPORT NO55
•	
Element	ts Identified and Measured
Concentration: Low	Medium
Matrix: Water Soil	Sludge Other
	mg/kg)dry weight (Circle One)
1. Aluminum 3790Px	13. Magnesium 142-50P#
2. Antimony 18PN E	
3. Arsenic 87FN	15. Hercury 1.0CV N*
4. Barium 95 PANKH	16. Hickel 12 PATENT
5. Beryllium O. 4UPAFET	
6. Cadmium 3.9P4	18. Selenium 1.0UFNS
7. Calcium 46960P#	
8. Chromium 17F#S	20. <u>Sodium</u> [336]P
9. Cobalt [2.9] PATEN	E 21. Thellium 2.44N
10. Copper 21PA+KH	22. Vanadium 11PAFFF E
11. <u>Iron</u> /0600f	23. Zinc 440Px
12. <u>Lead</u> 477 F#	Precent Solids (I) 98.5
Cyanide NR	· •
as defined on Cover Presults are encourage and contained on Cove	to EPA, standard result qualifiers are used. Page. Additional flags or footnotes explaining d. Definition of such flags must be explicit r Page, however. ity-opaque texture coarse
•	Lah Hanagar Mc. C. Salomon

Conected Form

Hef. 2

Sample Management Office	MHD863
P.O. Box 818 - Alexandria, VA 22313 703/557-2490 FTS: 8-557-2490	'
•	Date 8/22/8
	ANALYSIS DATA SHEET
LAB NAME HITTMAN EBASCO ISSOC. INC.	CASE NO. 6218
SOW NO. 7/85	
LAB SAMPLE ID. NO. N/A	qc report no. <u>55</u>
•	
Elements Ide	entified and Measured
Concentration: Low	Medium
Matrix: Water Soil X	SludgeOther
	g dry weight (Circle One)
1. Aluminum 11900P x	13. Magnesium 55800P#
ADDITION TOPNE	14. Manganese 8320 PAFKH
Arsenic 7.7FN	15. Mercury 0.5CV N*
Berium 200PAHiH	16. Rickel 44PARH
Beryllium 5.2PHRHE	17. Potassium 1480 P E
. Cadmium 5212P*	18. Selenium 1,0 UF N
. Calcium 143000P #	19. Silver 2.0UF
. Chromium 443F*	20. <u>Sodium</u> 5620 P
· Cobalt 14PAten E	21. Thellium 2.0UFN
0. Copper 44PAKH	22. Vansdium 561PACHE
1. Iron 94200P	23. Zinc 331P *
2. Lead 133Fx	Precent Solids (2) 99.3
NR NR	

Conected Johns

Rej. 2

ample Management	t Laboratory Pro	ogram		EPA Sample No.
.O. Box 818 - A1	lexandria, VA	22313		MHD 864
03/557-2490 FTS	8-357-2490			Date 8 \$248
•	す むハライ :	NTC ANALVET	S DATA SHEET	
AB NAME HITIMAN	N EBASCO ARSOC. I		CASE N	1 218
OW NO. 7/85			CASE N	0.
	27/4		00 757	ort no. <u>55</u>
AB SAMPLE ID. NO	•		QC REP	URI NU
	-	••		•
	Low X		d and Measur	<u>*</u> •
oncentration:			Medium	
trix: Water	Soil .	X	Sludge	Other
				•
	_ \		reight (Circl	_
	10500P*		Magnesium	3560P#
	FOPNE		Manganese	112PAKA
	2.IUFN	15.	Mercury	MOLYEY 0.5CVI
Barium (068PA-KH		Nickel	21PATKH
Bervllium -	16Px# 1,4P	MF 6 17.	Potassium	1160 P €
Cadmium	4.5P*	18.	Selenium	1.0 UFN
Calcium (a350P*	19.	Silver	2.1UF
Chromium &	HF* 4.3F*	<u>S</u> 20.	Sodium	1030 UP RH (976) F
Cobalt	IP AKH E	21.	Thellium	. 2.1UFN
	15PAYKH	22.	Vanadium	81PAKKE
. Iron 339			Zinc	96P*
Lead 35	00 F x + 13 F x	S Preci	ent Solids (97.3
	NIO		• —	•

Conseter Jom

Rya


Sample Management Office	EPA Sample No.
P.O. Box 818 - Alexandria, VA 2231: 703/557-2490 FTS: 8-557-2490	1 / 2
	Date 8/22/8
	ANALYSIS DATA SHEET
AB NAME HITTMAN EBASCO MISOC. INC.	CASE NO. 6218
7/85 TO TO TO THE TOTAL THE TOTAL TO THE TOTAL THE TOTAL TO THE TOTAL	60
AB SAMPLE ID. NO. N/A	QC REPORT NO. 55
	·
Elements Id	entified and Measured
oncentration: Low	
atrix: Water Soil 🗶	Sludge Other
	dry weight (Circle One)
. Aluminum 13200P*	13. Magnesium 5550P #-
Antimony 104PN E	14. Manganese 1730PA+++
Arsenic 188FN	15. Mercury 3.90VN+
Barium 225PACH.	F16. Nickel 34PAKA
Beryllium 3.10 3.1PM/.OF	WHY. Pocassium 1960 PE
Cadmium 38P*	18. Selectum 6.9 F NS
Calcium 14900P 4	19. <u>Silver</u> 18F
Chromium HOTF # 21F+S	·
Cobalt 21PAKHE	21. Thellium 13FN
1. Copper 222PAYH	22. Vanadium 12PAKHE
1. Iron 46100P	23. Zinc 4630P*
. Lead 3470 FXS	Precent Solids (2) 98.1
ranide NR	•

RETOR

APPENDIX III
CALIBRATION DATA


-

POS. PRESSURE ယှ Ø FLOW RATE 5 AM 01 DAY 1 25-25 <u>ප</u>-딾-40 45 50 55 60




3.4 A. 5 POS. PRESSURE FLOW RATE W **O** 15 AM 03 DAY 1 20 25 ~ <u>හු</u>-9 40 45 50 55 <u>8</u>

POS. PRESSURE



POS. PRESSURE




x by

POS. PRESSURE با ទ **O** FLOW RATE 15 AM 01 DAY 2 20 **23**-3 꼸-45 50 55 60


2/2

POS. PRESSURE




2.124


POS. PRESSURE



2/2





POS. PRESSURE



2/34


POS. PRESSURE






z hz


POS. PRESSURE




2 hz

POS. PRESSURE







POS. PRESSURE




2/2

POS. PRESSURE







POS. PRESSURE



Efor




E /20




E fall

POS. PRESSURE





EAR

POS. PRESSURE



POS. PRESSURE





E/AE

Ref. of

APPENDIX IV UPDATED SITE INVESTIGATION FORMS

1

POTENTIAL HAZARDOUS WASTE SITE

I. IDENTIFICATION

⇔EPA	PART 1 - SIT	SITE INSPECT E LOCATION AND			MATION	UT	D980952840
II. SITE NAME AND LOCA	ATION						
O1 SITE NAME (Legal, common, or	descriptive name of site)		02 STRE	ET, ROUTE NO., OR	SPECIFIC LOCATION IS	DENTIFIER	
Richardson Fl	at Tailings		арр.	rox. 2.5 m	miles NE of	Park	City, Utah
03 CITY			04 STATE	05 ZIP CODE	06 COUNTY		07COUNTY 08 COI
Park City			UT	84060	Summit		043 UT-0
09 COORDINATES	CONCITUDE	10 TYPE OF OWNERSH	IP (Check or	ne)			
40° 40° 50"	111° 26' 40''.	F. OTHER -	U B. FE	DERAL	_ C. STATE D D). COUNTY S. UNKNOW	
III. INSPECTION INFORM	ATION	<u> </u>					
01 DATE OF INSPECTION	% 02 SITE STATUS	03 YEARS OF OPERAT		1001			
6 , 19, 85	ACTIVE INACTIVE	late 1960		1 1981		NKNOWN	
04 AGENCY PERFORMING INSP	PECTION (Check all that apply) FRE	BEG	NNING YEA	AR ENDING YE	AH		
	ONTRACTOR Ecology &	Environment In	С⊡ С. М	UNICIPAL: D.I	MUNICIPAL CONTR	ACTOR	
□ E. STATE □ F. STATE	CONTRACTOR (A	Vame of him)		THER			(Name of firm)
05 CHIEF INSPECTOR	(#	Varne of firmi O6 TITLE			(Specify)	ION .	TOB TELEPHONE NO.
				_		NO.	
Susan Kennedy		Terrestria	al Bio	ologist	E&E		303 ³ 757–498
09 OTHER INSPECTORS		10 TITLE	.		11 ORGANIZATI		12 TELEPHONE NO.
Eric Johnson		EPA Reg. S	oite !	Project Of	fider EPA		303) 293-151
							[, ,
Jeff Holcomb	·	Chemical I	Engine	eer	E&E		303 ¹ 757–498
Tom Smith		Safety Off	ficer		E&E		303 ¹ 757-498
Wade Hansen		Geologist			Utah De Env. He		801)533-414.
Rob Smith Dave Tuesday	· · · · · · · · · · · · · · · · · · ·	Chief Hydr Geochemist		logist	E&E E&E		303 757-498- 303 757-498-
13 SITE REPRESENTATIVES INT	ERVIEWED	14 TILE Vice	1	SADORESS Unit	ed Park City	Mines	16 TELEPHONE NO
E.L. Osika, J	r.	President		309 Kearns Salt Lake (Bldg. City, UT		801 532-403
Kerry C. Gee		Geologist Engineer	:/	same as ab	ove		(801) 532-40
						· 	()
				· · · · · · · · · · · · · · · · · · ·			()
				•			()
							()
17 ACCESS GAINED BY (Check one)	18 TIME OF INSPECTION	19 WEATHER CONDI	TIONS				
X PERMISSION ☐ WARRANT		varied	~				
V. INFORMATION AVAIL	ABLE FROM						
01 CONTACT		02 OF (Agency/Organiza	abon)			1	03 TELEPHONE NO.
Paula Schmitte	diel	EPA - Re	gion	VIII Denv	er	ļ	(303) 293–151 i
04 PERSON RESPONSIBLE FOR	SITE INSPECTION FORM	05 AGENCY	06 ORG	ANIZATION	07 TELEPHONE N	0.	08 DATE
Susan Kennedy		EPA	E&I	E FIT VIII	(303)757-	-4984	8 , 27, 85 MONTH DAY YEAR

Updated: 8/24/87

EPA FORM 2070-13 (7-81)

* 6/19, 20/85; 7/30, 31/85; 8/1, 2/85; 7/7-14/86

Ref 2

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 2 - WASTE INFORMATION

I. IDENTIFICATION

01 STATE | 02 SITE NUMBER | UT | D980952840

			PART 2 - WAST	TE INFORMATION	1	01 030	50932040
II. WASTES	STATES, QUANTITIES, AN	ND CHARACTER	ISTICS				
01 PHYSICAL S	STATES (Check all that apply)	02 WASTE QUANT	TITY AT SITE	03 WASTE CHARACT	TERISTICS (Check all that a	apply)	
& B POWDER, FINES ☐ F. LIQUID TI ☐ C SLUDGE ☐ G. GAS CUBIC YA			2 million 1		ACTIVE G. FLAM	CTIOUS (I) J EXPLOSIVE MABLE (I) K. REACTIVE ABLE (I) L. INCOMPATIBLE	
☐ D. OTHER	(Specify)	NO. OF DRUMS				© M. NOT AF	PPLICABLE
III. WASTE T							
CATEGORY	SUBSTANCE N	AME	01 GROSS AMOUNT	02 UNIT OF MEASURE	03 COMMENTS		
SLU	SLUDGE						
OLW	OILY WASTE		1		 		
SOL	SOLVENTS		 				
PSD	PESTICIDES						
occ	OTHER ORGANIC CH	HEMICALS	 				
IOC	INORGANIC CHEMIC	ALS	Elevated a	rsenic, sod	ium. cyanid	e.2	
ACD	ACIDS				,		
BAS	BASES						
MES	HEAVY METALS		Heavy meta	ls in taili		l, at least	2 million
IV. HAZARD	OUS SUBSTANCES (S++ AD)	opendix for most frequent	ty caed CAS Numbers)		tons of	tailings.	
01 CATEGORY	02 SUBSTANCE NA	AME	03 CAS NUMBER	04 STORAGE/DISF	POSAL METHOD	05 CONCENTRATION	06 MEASURE OF CONCENTRATION
IOC	Arsenic		999	Surface im	poundment	1650	ug/g *
MES	Cadmium		999	(tailings)		56	ug/g
MES	Copper		999	17		435	ug/g
MES	Lead		999	11	· · · · · · · · · · · · · · · · · · ·	538	ug/g
MES	Manganese		999	11		2280	ug/g
MES	Mercury		999	11		1.24	ug/g
MES	Nickel		7440-02-0	11		23	ug/g
MES	Silver		999	19		21	ug/g
IOC	Sodium		999	11		2998	ug/g
MES	Zinc	!	999	***		5353	ug/g
IOC	Cyanide		999	***		5.2	ug/g
			<u> </u>	 		<u> </u>	
	* Concentratio			es of 4 surf	face tailin	gs samples	
	(RT-SO-4,5,6	, & 7). To	tal metals.				ļ
			1				ļ
	•		<u> </u>	L			
V. FEEDSTO	CKS (See Appendix for CAS Number	irs)					
CATEGORY	01 FEEDSTOCK	NAME	02 CAS NUMBER	CATEGORY	01 FEEDSTO	XCK NAME	02 CAS NUMBER
FDS	none			FDS			
FDS				FDS			
FDS				FDS			
FDS				~ FDS			
	C OF INFORMATION						

VI. SUURCES OF INFORMATION (Cite specific references, e.g., state files, sample anal

 $^{^{1}}$ Memo to File; J. Holcomb; 7/12/85.

Analytical Results Report for Richardson Flat Tailings; Ecology and Environment, Inc. (E&E); 10/25/85; TDD R8-8508-07.

•
QUANTIT
heck all that ap
E SLU
C. G. GAS

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

I. IDENTIFICATION 01 STATE | 02 SITE NUMBER

AL			PART 2 - WAST	E INFORMATION	4	UT D98	3 0 952840
II. WASTES	TATES, QUANTITIES, AN	D CHARACTER	ISTICS				
O1 PHYSICAL S C A SOLID C B POWDE C C SLUDGE	STATES (Check wither apply) E. E. SLURRY ER, FINES (1) F. LIQUID E. C. G. GAS	02 WASTE QUANT (Measures of must be TONS -		03 WASTE CHARACTI	ERISTICS (Check at that at the solution of the solution) SIVE F INFECT C G. FLAMI STENT H. IGNITA	IBLE J HIGHLY CTIOUS J EXPLOI	SIVE TIVE IPATIBLE
L D OTHER	(Specify)	NO OF DRUMS	<u> </u>			12 M 110 110 1 1 1	PPLICABLE
III. WASTE T	YPE						
CATEGORY	SUBSTANCE N	AME	01 GROSS AMOUNT	02 UNIT OF MEASURE	03 COMMENTS		
SLU	SLUDGE						
OLW	OILY WASTE						
SOL	SOLVENTS						
PSD	PESTICIDES						
occ	OTHER ORGANIC CH	HEMICALS					
IOC	INORGANIC CHEMIC	ALS					
ACD	ACIDS						
BAS	BASES						
MES	HEAVY METALS						
IV. HAZARD	OUS SUBSTANCES (See AD	pendix for most frequent	ly cited CAS Numbers)				
01 CATEGORY	ORY 02 SUBSTANCE NAME		03 CAS NUMBER	04 STORAGE/DISPOSAL METHOD		05 CONCENTRATION	06 MEASURE OF CONCENTRATION
IOC	Arsenic		999	Surface Im	poundment	.0928	ug/m3 *
MES	Cadmium		999	(tailing	s)	.0825	ug/m ³
MES	Lead		999	11		1.6478	$l_{ug/m}^3$
MES	Zinc		999	††		1.4478	ug/m ³
	Ref. ³						
			•	,			
V. FEEDSTO	CKS (See Appendix for CAS Number	rs)		·			
CATEGORY	01 FEEDSTOCK	(NAME	02 CAS NUMBER	CATEGORY	01 FEEDSTO	CK NAME	02 CAS NUMBER
FDS				FDS			
FDS				FDS			
FDS				FDS			
FDS				~_ FDS			
VI. SOURCES	S OF INFORMATION (Cas sa	pecific references, e.g.,	state files, sample analysis, ri	eports)			

Analytical Results Report of Air Sampling at Richardson Flat; E&E FIT; 9/19/86; TDD R8-8608-05, E&E Files.

P./3

SEPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT ESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENT

I. IDENTIFICATION

01 STATE 02 SITE NUMBER

UT D980952840

PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS II. HAZARDOUS CONDITIONS AND INCIDENTS 01 XA. GROUNDWATER CONTAMINATION 02 - OBSERVED (DATE: 8/2/85 ☐ POTENTIAL X ALLEGED 03 POPULATION POTENTIALLY AFFECTED: 04 NARRATIVE DESCRIPTION Ground water samples from UPCM wells (RF-GW-2, RF-GW-3) were collected and analyzed. Dissolved metals analyses revealed elevated levels of arsenic, cobalt, iron, manganese, and zinc. Two domestic wells (210' and 222' deep) have been identified within one mile of the site. The best information available indicates the wells are completed in Tertiary volcanic rock composed primarily of andesitic pyroclastics. Wheather water-bearing units of unconsolidated deposits are hydraulically connected to underlying water-bearing units of the processing and the composition of the processing water-bearing units of the processing units of the processing water-bearing water-bearing units of the processing water-bearing water-bear 01 X B. SURFACE WATER CONTAMINATION 03 POPULATION POTENTIALLY AFFECTED: 02 (AOBSERVED (DATE: 6/20/85_) 04 NARRATIVE DESCRIPTION Surface water samples from Silver Creek, collected downgradient of the site, contained elevated levels of lead. RT-SW-3 (downgradient) contained 1985 ug/l lead as compared to RT-SW-1 (upgradient) containing 147 ug/1 lead. Arsenic levels were also elevated. Water diverted from Silver Creek is used for pasture—land irrigation (276 acres) within 3-stream miles of the site. 01 D. C. CONTAMINATION OF AIR 02 10 OBSERVED (DATE: 7/7/86 **POTENTIAL** 4500 os population potentially affected: 4500 of Nabrative Description Hi-volume air sampling performed on July 7-14, 1960 verified the release of inorganic contaminants to the air route. A 100 fold increase in airborne lead concentration was detected when comparing upwind versus downwind sampling stations. Values for arsenic, cadmium and zinc are also highly elevated over the background samples. Population residing within a 4-mile radius is approximately 4500. 01 D. FIRE/EXPLOSIVE CONDITIONS 02 OBSERVED (DATE: ☐ POTENTIAL 03 POPULATION POTENTIALLY AFFECTED: **04 NARRATIVE DESCRIPTION** No recorded history -- fire and explosive conditions do not exist at the site. ☐ ALLEGED 01 TXE. DIRECT CONTACT 02 C OBSERVED (DATE: X POTENTIAL 4500 03 POPULATION POTENTIALLY AFFECTED: **04 NARRATIVE DESCRIPTION** The site is not secured from public access or access by domestic livestock. On June 19 and 20, vehicles were observed driving near the tailings area along the access road. Sheep and cattle were observed walking on the tailings on June 19 and 20, 1985. 02 @ OBSERVED (DATE 8/2/85) ☐ POTENTIAL X ALLEGED 01 EXF. CONTAMINATION OF SOIL 640 **04 NARRATIVE DESCRIPTION** 03 AREA POTENTIALLY AFFECTED: Soil beneath the the tailings (RF-SS-6) contains elevated concentrations of antimony, arsenic, cadmium, copper, lead, magnesium, mercury, silver, sodium and zinc. Off site surface soil (RT-SO-1) contained elevated levels of arsenic, cadmium, lead, mercury and zinc probably due to wind deposition. 01 🛱 G. DRINKING WATER CONTAMINATION 02 D OBSERVED (DATE. TX POTENTIAL ☐ ALLEGED 03 POPULATION POTENTIALLY AFFECTED: 04 NARRATIVE DESCRIPTION Two domestic wells are located within one mile of the tailings.4 Surface water from Silver Creek is not used for drinking water.9 01 회 H. WORKER EXPOSURE/INJURY 02 OBSERVED (DATE: D POTENTIAL ☐ ALLEGED 03 WORKERS POTENTIALLY AFFECTED: **04 NARRATIVE DESCRIPTION** The tailings are being removed by Mr. Ray Wortley to be used as backfill for sewer lines and road base. In addition, FIT members observed heavy equipment operators dumping what appeared to be native soil on the tailings area. Observations were made on June 19 and 20, 1985. 01 IXI. POPULATION EXPOSURE/INJURY 02 D OBSERVED (DATE: DOTENTIAL ☐ ALLEGED 4500 03 POPULATION POTENTIALLY AFFECTED: **04 NARRATIVE DESCRIPTION** No recorded history of population exposure or injury, however, the site is not secured from public

access or domestic livestock grazing. Population exposure of concern include airborne contaminants, food chain contamination associated with the surface water route, and threat to domestic wells.

SEPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

I. IDENTIFICATION 01 STATE 02 SITE NUMBER

PART 3 - DESCRIPTION O	F HAZARDOUS CONDITIONS AND INCIDENTS	U1 D980952840
II. HAZARDOUS CONDITIONS AND INCIDENTS /Continued	0	
01 Q J. DAMAGE TO FLORA 04 NARRATIVE DESCRIPTION	02 N OBSERVED (DATE: 6/19/85)	☐ POTENTIAL ☐ ALLEGED
Peripheral tailings support ve	getation including <u>Juncus</u> sp., the tailings are denuded due t	Salix sp. and to high levels
of soluble salts and metals.		
01 DK. DAMAGE TO FAUNA 04 NARRATIVE DESCRIPTION (Include name(s) of species)	02 OBSERVED (DATE:)	XPOTENTIAL TALLEGED
No apparent damage to area fau drainage ditch on site (near R' be affected by lead and arseni	na. Two muskrats were observed T-SW-4). Fish in Silver Creek	swimming in the could potentially
01 LXL CONTAMINATION OF FOOD CHAIN	02 D OBSERVED (DATE:)	POTENTIAL D ALLEGED
04 NARRATIVE DESCRIPTION The possibility exists for metals to met	nove through the food chain 1) by domestry metal concentration in local fish po	ic livestock grazingin area
01 XM. UNSTABLE CONTAINMENT OF WASTES (Spills Runoll/Standing liquids, Leeking drums) 450	02 🗆 OBSERVED (DATE:)	☐ POTENTIAL ☐ ALLEGED
03 POPULATION POTENTIALLY AFFECTED:	o4 NARRATIVE DESCRIPTION efore susceptible to gusty winds which	carry fine_orain tailings
material off-site. A dam constructed solid material off-site.	at the northwest end of the tailings p	revents mass movement of
01 [XN. DAMAGE TO OFFSITE PROPERTY 04 NARRATIVE DESCRIPTION	02 OBSERVED (DATE:)	ALLEGED 3 ALLEGED
The potential exists for damage to off	-site property because the tailings ma	terial is allegedly being
used as sewer line backfill and road b	pase in the Park City area.	
01 □XO. CONTAMINATION OF SEWERS. STORM DRAINS, W 04 NARRATIVE DESCRIPTION		POTENTIAL G ALLEGED
If tailings material is being used as tion by metals.	sewer line backfill, the potential exi	sts for sewer contamina-
01 © P. ILLEGAL/UNAUTHORIZED DUMPING 04 NARRATIVE DESCRIPTION	,	□ POTENTIAL □ ALLEGED
Dumping of native soil on to the taili United Park City Mines.	ngs was observed by FTT members, but i	s under the supervision of
05 DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL, OR A	ALLEGED HAZARDS	
No other hazards are known.		
	7500	
III. TOTAL POPULATION POTENTIALLY AFFECTED:	4500	
IV. COMMENTS		
	~ ·	
V. SOURCES OF INFORMATION (Cre specific references, e.g., state	i files, sample analysis, reports;	
Well Logs (#34833 and #A-343 Water Resources of the Heber Tech. Publ. No. 27. Telecon; S. Kennedy to J. An	56). -Kamas - Park City Area North-C	Central Utah;
interection; p. venueda co p. wu	#6190H; 1/10/02*	

- 7 Weber River Decree and Corresponding Plat.

 EPAFORM2070-13(7-81)

 8 Telecon; S. Kennedy to J. Harrington; 9/4/85.

 9 Telecon; S. Kennedy to L. Mize; 7/17/85.



	DOTENTI	AI MAZA	ייסמפ	S WASTE SITE		I. IDENTIFICATION	
≎EPA	POTENTIA		01 STATE 02 SITE NUMBER				
VLIA	SITE INSPECTION PART 4 - PERMIT AND DESCRIPTIVE INFORMATION					UT D98095	2840
II DEDMIT INCODMATION							
II. PERMIT INFORMATION 01 TYPE OF PERMIT ISSUED	02 PERMIT NUMBER	03 DATE	SSHED	04 EXPIRATION DATE	05 COMMENTS		
(Check at that apply)	OZ FERMIT NUMBER	OSBAIE	33020	O EXPINATION DATE	US COMMENTS		
C A NPDES							
□ B. UIC					<u> </u>	 	
C. AIR							
D. RCRA							
☐ E. RCRA INTERIM STATUS						· · · · · · · · · · · · · · · · · · ·	
C F. SPCC PLAN						····	
G. STATE (Soecily)							
DH. LOCAL Sopostyl							
☐ I. OTHER (Specify)							
ズJ. NONE					<u> </u>		
III. SITE DESCRIPTION				~			
01 STORAGE/DISPOSAL (Check all that apply)		OF MEASURE	04 TP	EATMENT (Check all that a	opry)	05 OTHER	
	2 million to	ons	□ A.	INCENERATION		☐ A. BUILDINGS	ON SITE
☐ B. PILES			☐ B. UNDERGROUND INJECTION			E A. BOILDINGS	0.11 0.11 E
☐ C. DRUMS, ABOVE GROUND ☐ D. TANK, ABOVE GROUND			C. CHEMICAL/PHYSICAL			No.	
E. TANK, BELOW GROUND			D. BIOLOGICAL			None 06 AREA OF SITE	
© F. LANDFILL			E. WASTE OIL PROCESSING			OF ANEX OF SITE	
G. LANDFARM			☐ F. SOLVENT RECOVERY ☐ G. OTHER RECYCLING/RECOVERY			160	(Acres)
☐ H. OPEN DUMP			☐ H. OTHER				(NS/##)
□ 1. OTHER			(Specify)		Cafy)		
(Specify) 07 COMMENTS	· · · · · · · · · · · · · · · · · · ·						
Slurry, generated from	om milling acti	ivities	. wa	s piped to t	he Richa	rdson Flat ar	.63
and currently covers	approximately	160 ac	res.	The metal	sulfide	and carbonat	-Ca
containing tailings	material is nre	sently	2 6	olid metriv	An onh	omorol pond	.e-
overlies a portion of	f the tailings	-SCIICLY	a 5	orid matrix.	An epin	emerar ponu	
overries a pereron of	the cultings.						
IV. CONTAINMENT							
01 CONTAINMENT OF WASTES (Check one)							
A. ADEQUATE, SECURE	☐ B. MODERATE	X C. IN	ADEQU	ATE, POOR	D. INSECU	RE. UNSOUND, DANGER	ROUS
02 DESCRIPTION OF DRUMS, DIKING, LINERS, B	ARRIERS, ETC.						
A dam at the northwes	st extension of	the ta	ailir	ngs is the o	nly form	of artificia	1
containment on site.	The tailings	materia	1 is	. uncovered	and no i	underlying li	nor
is present.	•			· uncovereu,	and no (inderlying if	rfe1
•		•					
V. ACCESSIBILITY							
01 WASTE EASILY ACCESSIBLE: X YES	i □ NO					-	
O2 COMMENTS The site is not secur	ed from public	00000		domonts 11	1		
The site is not secur	ed TIOM buntle	access	or	domestic li	vestock g	grazing.	

See pages 2, 2A and 4.

VI. SOURCES OF INFORMATION (Cite specific references, e.g. state files, sample enalysis, reports)



	POTENTIAL HAZARDOUS WASTE SITE L IDENTIFICATION									
SE	PA			SITE INSPEC					DOCOCE 20	. O
\			PART 5 - WATER,	DEMOGRAPH	IC, AND E	NVIRON	MENTAL DATA	UT	D98095284	+0
II. DRINKI	NG WATER SUPPL	Y								
01 TYPE OF I	DRINKING SUPPLY			02 STATUS				03	DISTANCE TO SITE	
10.44.24		FACE	WELL	ENDANGERI	ED AFFI	CTED	MONITORED			
COMMUNIT	Υ Α.		В. ' '	A. 🕅		. 🗅	c . □	A.	3/4 (mi)	
NON-COMM	AUNITY C.		D. CX	D. 🗆	Ε	. 🖸	F. 🗆	B.	(mi)	
III. GROUN	DWATER									
01 GROUNDY	VATER USE IN VICINITY	(Check on	»)							
☐ A. ONL	Y SOURCE FOR DRINK	ING]	B. DRINKING (Other sources available	,,		OMMERCIAL	L, INDUSTRIAL, IRRIGA'	NON E	D. NOT USED, UNUSE	ABLE
				USTRIAL, IRRIGATIO						
			INO ODIA WEIGH SOUTCES							
02 POPULATI	ON SERVED BY GROUP	ND WATER	88		03 DISTANO	E TO NEARE	EST DRINKING WATER I	WELL	3/4 (mi)	
04 DEPTH TO	GROUNDWATER	1	05 DIRECTION OF GROU	NDWATER FLOW	06 DEPTH T		07 POTENTIAL YIEL	Д	08 SOLE SOURCE AQ	UIFER
	50 ⁴ (ft)		nort	h	OF CON		of Adulfer unknown	(204)	□ YES 🏌	NO
OG DESCRIPTI			pth, and location relative to po			(10)		(gpd)		
			s, two private		lls are	located	approximately	4000	feet southwes	t
of the	site. One of	f the	wells is 210 fe	eet deep wit	h a stat	ic water	level of 42	feet.	The second w	e11
is 222	feet deep wit	has	tatic water le	vel of 55 fe	et.					
	-									
10 RECHARGE	AREA				11 DISCHAR	GE AREA				-
	COMMENTS				☐ YES	COMMEN	rts			
□ NO	•				DX NO					
IV. SURFAC	E WATER									
01 SURFACE V	WATER USE (Check one)									
A. RES	ERVOIR, RECREATION	ON	D B. IRRIGATION,	ECONOMICALLY	□ c. 0	OMMERCI	AL. INDUSTRIAL	ΠD	NOT CURRENTLY	JSED
DRIN	IKING WATER SOUR	CE	IMPORTANT	RESOURCES			•			
02 AFFECTED	POTENTIALLY AFFECT	TED BODI	ES OF WATER							
NAME:							AFFECTED		DISTANCE TO SITE	
Silve	er Creek						X	,	1000	
	ce Ditch 7								prox. 300' prox. 400'	_ (nzi) _ (nzi)
								===		_ (mi)
V DEMOGR	APHIC AND PROF	FRTY	NEORMATION							
	ULATION WITHIN		TO THE PART OF THE			1 02	DISTANCE TO NEARE	ST POPUL	ATION	
	ILE OF SITE	TWO	(2) MILES OF SITE	TUDEE /2	MI ES DÉ	1				
A	.0	B	8 8	C	MILES OF S			1.9	(mi)	
NO O	F PERSONS		NO. OF PERSONS (ho	ruse count f						
03 NUMBER OF	F BUILDINGS WITHIN TV		LES OF SITE		04 DISTANCE	TO NEARES	ST OFF-SITE BUILDING			
		2					1.9	(mi	i)	
05 POPULATIO	N WITHIN VICINITY OF	SITE (Prov	ide narrative description of nati	ure of population within vi	cinity of site. e.g	. rurei. village. c	densely populated urban are	1)	· · · · · · · · · · · · · · · · · · ·	
			approximatel						The populat	ion
			to 10,000			r ski	season. Th	e ye	ar-round	
perma	anent popul	atior	n is approxi	mately 450	00.					



\$EPA	l
--------------	---

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT - WATER DEMOGRAPHIC AND ENVIRONMENTAL DATA

	TEICATION
01 STATE	02 SITE NUMBER
ו דעו	02 SITE NUMBER D980952840

47 2. 7 4	PART 5 - WATER, DEMOGRAPH	IIC, AND ENVIRONMENTAL DATA
VI. ENVIRONMENTAL INFORMA	ATION	
01 PERMEABILITY OF UNSATURATED 2	ONE (Check one)	
□ A. 10 ⁻⁶ – 10 ⁻	6 cm/sec ☐ B. 10 ⁻⁴ = 10 ⁻⁶ cm/sec ☐	C. 10−4 - 10−3 cm/sec
02 PERMEABILITY OF BEDROCK (Check	9ne)	
☐ A. IMPERN (Lass shan	MEABLE B. RELATIVELY IMPERMEABLE (10 ⁻⁶ cm/sec)	LE C. RELATIVELY PERMEABLE D. VERY PERMEABLE (10 ⁻² ~ 10 ⁻⁴ cm/sec) (Greater than 10 ⁻² cm/sec)
03 DEPTH TO BEDROCK	04 DEPTH OF CONTAMINATED SOIL ZONE	05 SOIL pH
(ft)	unknown (n)	7.74
06 NET PRECIPITATION	07 ONE YEAR 24 HOUR RAINFALL	08 SLOPE DIRECTION OF SITE SLOPE TERRAIN AVERAGE SLOPE
(in)	1.25 (in)	$\frac{0-5}{}$ north northeast $\frac{0-5}{}$
09 FLOOD POTENTIAL	10	
SITE IS IN 100 YEAR FLO	ODPLAIN SITE IS ON BARRI	ER ISLAND, COASTAL HIGH HAZARD AREA, RIVERINE FLOODWAY
1.1 DISTANCE TO WETLANDS (5 acre minim	umi	12 DISTANCE TO CRITICAL HABITAT (p/ endenpered species)
ESTUARINE	отнея (freshwater)	N/A(mi)
AN/A(mi)	в. <u>0,25 (mi)</u>	ENDANGERED SPECIES: no endangered species in Park
13 LAND USE IN VICINITY		•
DISTANCE TO: COMMERCIAL/INDUSTR	RESIDENTIAL AREAS: NATION IAL FORESTS, OR WILDLIF 6 mi. National I	E RESERVES PRIME AG LAND AG LAND
A. 1.5 (mi)	1.5 mi. Resident B	au jacent to site
14 DESCRIPTION OF SITE IN RELATION	O SURROUNDING TOPOGRAPHY	
Pichardean Flat is	a natural denression at	the base of the Wasatch Range

Richardson Flat is a natural depression at the base of the Wasatch Range, adjacent to Silver Creek.

VII. SOURCES OF INFORMATION (Cite specific references, e.g., state files, sample analysis, reports)

¹⁰ Telecon; S. Kennedy to Larry England; 9/4/85.

Ref 2

\$EPA		POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 8 - SAMPLE AND FIELD INFORMATION	L IDENTIFICATION O1 STATE 02 SITE NUMBER UT D980952840		
IL SAMPLES TAKEN					
SAMPLE TYPE	01 NUMBER OF SAMPLES TAKEN	02 SAMPLES SENT TO	03 ESTIMATED DATE RESULTS AVAILABI		
GROUNDWATER	3	EPA Region 8 Laboratory, Lakewood	, co R6716/85		
SURFACE WATER	6	11 11	" Rec'd 7/12/85		
Tailings Surface WASTE Subsurface	4	EPA Region 8 Lab & Versar Inc. Sp	" Rec'd 7/12/85		
AR (High-vol)	29	Hittman-Ebasco, Columbia, MD	VA 8/86		
RUNOFF					
SPILL					
som Surface Subsurface	2	EPA Region 8 Lab, Lakewood, CO EPA Region 8 Lab & Versar, Inc. S	Rec'd 7/12/85		
VEGETATION			VA		
OTHER					
III. FIELD MEASUREMENTS TA	KEN				
01 TYPE	02 COMMENTS				
**	Ground water	samples ranged from 6.43 to 6.89			
pH		samples (Silver Cr. tailings ditch) ranged:	from 7.26 to 7.54		
temperature_	Ground water Surface water	9.5°C to 11°C 19°C to 20°C			
•	Ground water	350 to 1450 umhos/cm			
conductivity	Surface water	550 to 1400 umhos/cm			
volatile organics (HNu)	No readings g	reater than background			
radiation	No readings g	reater than background			
IV. PHOTOGRAPHS AND MAPS					
01 TYPE XGROUND AERIAL		02 IN CUSTODY OF Ecology and Environment FTT V	III Files		
3 MAPS 04 LOCATION	OF MAPS				
X YES Ecology and Environment FIT VIII Files					
V. OTHER FIELD DATA COLLEC	CTED (Provide пелтите de	scription)			

VI. SOURCES OF INFORMATION (Cité apocific references, e.g., state files, sample analysis, reports)

See pages 2, 2A, 4 and 7.

Ry/2

⊕EPA		POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT		I. IDENTIFICATION 01 STATE 02 SITE NUMBER	
ACLY			WNER INFORMATION	UT	D980952840
IL CURRENT OWNER(S)			PARENT COMPANY (# applicable)		
OI NAME		02 D+B NUMBER	OS NAME		09 D+B NUMBER
United Park City Mines			N/A		
03 STREET ADDRESS (P.O. Box, RFD P. MC.)		04 SIC CODE	10 STREET ADDRESS (P. O. Box. RFD #. etc.)		11 SIC CODE
309 Kearns Bldg.		<u></u>			
05 CITY	1	07 ZIP CODE	12 CITY	13 STATE	14 ZIP CODE
Salt Lake City	UT	84101			
O1 NAME	,	02 D+B NUMBER	OB NAME		09 D+8 NUMBER
03 STREET ADDRESS (P. O. Box, RFD #, etc.)		04 SIC CODE	10 STREET ADDRESS (P O Box. RFD # Mc.)		11 SIC CODE
os any	OS STATE	07 ZIP CODE	12 CITY	13 STATE	14 ZIP CODE
01 NAME		02 D+8 NUMBER	OB NAME		09 D+8 NUMBER
03 STREET ADDRESS (P O Box, RFD #, etc.)		04 SIC CODE	10 STREET ADDRESS (P.O. Box. RFD #, etc.)		11SIC CODE
05 CITY	OG STATE	07 ZIP CODE	12 CITY	13 STATE	14 ZIP CODE
01 NAME	1 NAME		OB NAME		09 D+B NUMBER
03 STREET ADDRESS (P.O. Box, RFD ₱. eic.)		04 SIC CODE	10 STREET ADDRESS (P.O. Box. RFD #. etc.)		11 SIC CODE
05 CTY	06 STATE	07 ZIP CODE	12 CITY	13 STATE	14 ZIP CODE
III. PREVIOUS OWNER(S) (List most recent to			IV. REALTY OWNER(S) (II ADDACADING: ARE IT		
01 NAME		02 D+B NUMBER	01 NAME		02 D+8 NUMBER
03 STREET ADDRESS (P.O. Box, RFD ●, etc.)		04 SIC CODE	03 STREET ADDRESS (P.O. Box. RFD #, etc.)		04 SIC CODE
05 CITY	06STATE	07 ZIP CODE	05 CITY	06 STATE	07 ZIP CODE
O1 NAME		02 D+B NUMBER	D1 NAME		02 D+B NUMBER
03 STREET ADDRESS (P.O. Box. RFD #. etc.)		04 SIC CODE	03 STREET ADDRESS (P O Box, RFD #, etc.)		04 SIC CODE
05 CITY	06 STATE	07 ZIP CODE	05 CITY	06 STATE	07 ZIP CODE
O1 NAME		02 D+B NUMBER	01 NAME		02 D+B NUMBER
D3 STREET ADDRESS (P.O. Box, RFD #, etc.)		04 SIC CODE	03 STREET ADDRESS (P.O. Box. RFD # . Mc.)		04 SIC CODE
05CTY	06 STATE	07 ZIP CODE	05 СПҮ	06 STATE	07 ZIP CODE
V. SOURCES OF INFORMATION (CRe and	secific references, e	a.g. state files, sample analys	BS. reports)		
See pages 2, 2A, 4 and	d 7.				-

Refa

SEPA SITE INSPE		POTENTIAL HAZARDOUS WASTE SITE		L IDENTIFICATION		
		CTION REPORT ATOR INFORMATION	UT UT	2 SITE NUMBER D980952840		
IL CURRENT OPERATOR (Pro	vide if different from Owners		OPERATOR'S PARENT COMPA	NY (# applicable)		
)1 NAME	····	02 D+8 NUMBER	10 NAME		11 D+B NUMBER	
United Park City	Mines, Co		N/A			
3 STREET ADDRESS (P.O. Box. AFD #.	etc.)	04 SIC CODE	12 STREET ADDRESS (P.O. Box, RFD #. etc.,	,	13 SIC CODE	
309 Kearns Bldg.					İ	
scny Salt Lake City	06 STATE UT	07 ZIP CODE 84101	14 CITY	15 STATE	16 ZIP CODE	
i i	me as above.	J				
II. PREVIOUS OPERATOR(S)	List most recent first; provide or	nly if different from owner)	PREVIOUS OPERATORS' PARENT COMPANIES (# approache)			
1 NAME		02 D+B NUMBER	10 NAME	···· ······ ··························	11 D+8 NUMBER	
D3 STREET ADDRESS (P.O. Box. RFD #. etc.) 04 SIC CODE		04 SIC CODE	12 STREET ADDRESS (P.O. Box, RFD #. etc.)		13 SIC CODE	
S CITY	O6 STATE	07 ZIP CODE	14 CITY	15 STATE	18 ZIP CODE	
8 YEARS OF OPERATION OR NAM	E OF OWNER DURING TH	I IS PERIOD			<u> </u>	
1 NAME		02 D+8 NUMBER	10 NAME		11 D+B NUMBER	
03 STREET ADDRESS (P. O. Box. RFD P. etc.) 04 SIC CODE		12 STREET ADDRESS (P.O. Box, RFD P. etc.)		13 SIC CODE		
5 CITY	08 STATE	07 ZIP CODE	14 CITY	15 STATE	16 ZIP CODE	
B YEARS OF OPERATION OR NAM	E OF OWNER DURING TH	IS PERIOD				
NAME		02 D+8 NUMBER	10 NAME		11 D+B NUMBER	
D3 STREET ADDRESS (P.O. Box. RFD #, etc.)		12 STREET ADDRESS (P.O. Box, RFD #, etc.;		13 SIC CODE		
CITY	06 STATE	07 ZIP CODE	14 ОПҮ	15 STATE	16 ZIP CODE	
YEARS OF OPERATION 09 NAM	E OF OWNER DURING THE	S PERIOD				
V. SOURCES OF INFORMATION	ON (Cite apecific references, e	e.g., state files, sample analysi	t. reports)			

See pages 2, 2A, 4 and 7.



A	POTENTIAL HAZARDOUS WASTE SITE			I. IDENTIF	I. IDENTIFICATION	
\$EPA		SITE INSP	ECTION REPORT TRANSPORTER INFORMATION	UT UT	D980952840	
II. ON-SITE GENERATOR		- GLITERATOID	MANUFACTOR OF THE PROPERTY OF			
O) NAME		02 D+B NUMBER		 		
		OZ DYB NOMBEN				
None		<u> </u>				
03 STREET ADDRESS (P.O. Box. RFD #, etc.)		04 SIC CODE				
05 CITY	06 STATE	07 ZIP CODE	-			
III. OFF-SITE GENERATOR(S)		<u> </u>				
O1 NAME		02 D+B NUMBER	01 NAME		02 D+B NUMBER	
None		<u> </u>	}			
03 STREET ADDRESS (P.O BOX. RFD # . etc.)		04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD # etc.)	·····	04 SIC CODE	
05 CITY	06 STATE	07 ZIP CODE	OS CITY	06 STATE	07 ZIP CODE	
D1 NAME		02 D+B NUMBER	01 NAME		02 D+B NUMBER	
O3 STREET ADDRESS (P.O. Box. RFD P. etc.)		04 SIC CODE	03 STREET ADDRESS (P O. Box. RFD # etc.)		04 SIC CODE	
05 CITY	06 STATE	07 ZIP CODE	05 CITY	OB STATE	07 ZIP CODE	
IV. TRANSPORTER(S)		<u> </u>				
DT NAME 02		02 D+B NUMBER	O1 NAME		02 D+B NUMBER	
Mr. Ray Wortley *		04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD €, etc.)		04 SIC CODE	
unknown						
D5 CITY	06 STATE	07 ZIP CODE	05 CITY	06 STATE	07 ZIP CODE	
D1 NAME		02 D+B NUMBER	01 NAME		02 D+B NUMBER	
3 STREET ADDRESS (P.O. Box. RFD #. etc.)		04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD # etc.)		04 SIC CODE	
		Į.			ľ	

- * Alledgedly removes tailings material for use as sewer line backfill and roadbase.
 - Site Inspection Report, Richardson Flat Tailings; Utah Bureau of Solid and Hazardous Waste; 9/4/84; in E&E files under TDD R8-8504-23.

R.J.Z.

SEPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 10- PAST RESPONSE ACTIVITIES

L IDENTIFICATION

01 STATE 02 SITE NUMBER

UT D980952840

	SITE INSPECTION REPORT ART 10 - PAST RESPONSE ACTIVITIES		UT D9809528
AST RESPONSE ACTIVITIES			
01 A. WATER SUPPLY CLOSED 04 DESCRIPTION	02 DATE	03 AGENCY	
No recorded history.			
01 B. TEMPORARY WATER SUPPLY PROVIDED 04 DESCRIPTION	02 DATE	03 AGENCY	
None observed or reported.			
01 C. PERMANENT WATER SUPPLY PROVIDED 04 DESCRIPTION	02 DATE	03 AGENCY	
None observed or reported	1.		
01 D. SPILLED MATERIAL REMOVED 04 DESCRIPTION	O2 DATE	03 AGENCY	
None observed or reported			
01 DE. CONTAMINATED SOIL REMOVED 04 DESCRIPTION	O2 DATE	03 AGENCY	
None observed or reported.		· 	
01 F. WASTE REPACKAGED 04 DESCRIPTION	02 DATE	03 AGENCY	
None observed or reported.			
01 D G. WASTE DISPOSED ELSEWHERE 04 DESCRIPTION	02 DATE	03 AGENCY	
None observed or reported.			<u>-</u>
01 H. ON SITE BURIAL 04 DESCRIPTION	02 DATE	03 AGENCY	
None observed or reported.		·	
01 D I. IN SITU CHEMICAL TREATMENT 04 DESCRIPTION	02 DATE	D3 AGENCY	
None observed or reported.			
01 D J. IN SITU BIOLOGICAL TREATMENT 04 DESCRIPTION	02 DATE	03 AGENCY	
None observed or reported.	02 DATE	O2 ACENCY	
04 DESCRIPTION		US AGENCY	
None observed or reported.			· · · · · · · · · · · · · · · · · · ·
01 C L ENCAPSULATION 04 DESCRIPTION	02 DATE	03 AGENCY	
None observed or reported.			
01 D M. EMERGENCY WASTE TREATMENT 04 DESCRIPTION	02 DATE	03 AGENCY	
None observed or reported.			
01 () N. CUTOFF WALLS 04 DESCRIPTION	O2 DATE	03 AGENCY	
None observed or reported.			
01 💢 O. EMERGENCY DIKING/SURFACE WATER DIVE 04 DESCRIPTION			
A dam was built at the nort	hwestern extension of the	tailings	to contain the
01 DP. CUTOFF TRENCHES/SUMP 04 DESCRIPTION	02 DATE		
None observed or reported.			
D1 [] Q. SUBSURFACE CUTOFF WALL D4 DESCRIPTION	02 DATE	03 AGENCY	
None observed or reported.			

Refo

\$EPA	POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 10 - PAST RESPONSE ACTIVITIES		L IDENTIFICATION OI STATE 02 SITE NUMBER UT D980952840
II PAST RESPONSE ACTIVITIES (Continued)			
01 G R. BARRIER WALLS CONSTRUCTED 04 DESCRIPTION	O2 DATE	03 AGENCY	
None observed or reported	1.		
01 S. CAPPING/COVERING 04 DESCRIPTION	O2 DATE	03 AGENCY	
None observed or reported.	02 DATE		
01 ☐ T. BULK TANKAGE REPAIRED 04 DESCRIPTION	02 DATE	03 AGENCY	
None observed or reported	1		
01 D. U. GROUT CURTAIN CONSTRUCTED 04 DESCRIPTION		03 AGENCY	
None observed or reported	02 DATE		
01 □ V. BOTTOM SEALED 04 DESCRIPTION		03 AGENUT	
None observed or reported.	02 DATE	03 AGENCY	
O4 DESCRIPTION None observed or reported.			
01 🗆 X. FIRE CONTROL	02 DATE	03 AGENCY.	
O4 DESCRIPTION None observed or reported.			
01 DY. LEACHATE TREATMENT	02 DATE	03 AGENCY	
O4 DESCRIPTION None observed or reported		OS AGENTO (.	
01 D Z. AREA EVACUATED	02 DATE	03 AGENCY	
04 DESCRIPTION		ou numer.	
None observed or reported. 01 □ 1. ACCESS TO SITE RESTRICTED	02 DATE	03 AGENCY	
04 DESCRIPTION		US AGENUT.	
None observed or reported.	02 DATE	03 AGENCY	
04 DESCRIPTION	02 07.1	00 NCL.10 : _	
None observed or reported			
01 © 3. OTHER REMEDIAL ACTIVITIES 04 DESCRIPTION	02 DATE	03 AGENCY	
None observed or reported	•		
			•
III, SOURCES OF INFORMATION (Cité specific reteren	10es. e.g., state files, sample analysis, reports)	 	
See pages 2, 2A, 4 and 7 a	and 11.		





POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 11 - ENFORCEMENT INFORMATION

L IDENTIFICATION

01 STATE 02 SITE NUMBER

UT D980952840

IL ENFORCEMENT INFORMATION

01 PAST REGULATORY/ENFORCEMENT ACTION [] YES [] NO

02 DESCRIPTION OF FEDERAL, STATE, LOCAL REGULATORY/ENFORCEMENT ACTION

- No agency enforcement action taken at this site.
- SI performed by State of Utah BSMW 12/21/84.
- SI performed by EPA FIT VIII, 6,7 & 8/85.
- Air sampling performed by EPA FIT VIII, 7/7-14/86.

III. SOURCES OF INFORMATION (Cité appeare references, e.g., state files, sample enalysis, reportal

See pages 2, 2A, 4 and 7 and 11.